HRP-conjugated Mouse anti-Rabbit IgG (H+L)

Catalog No.: AS079 2 Publications



Basic Information

Observed MW 36kDa

Calculated MW

Category Secondary Antibody

Applications WB

Cross-Reactivity

Conjugate HRP

Background

Secondary antibodies are affinity-purified antibodies which will work with targetspecific primary antibody in the detection, sorting or purification of its specified target. Secondary antibodies offer increased versatility enabling users to use many detection systems (e.g. HRP, AP, fluorescence). They can also provide greater sensitivity through signal amplification as multiple secondary antibodies . Most commonly, secondary antibodies are generated by immunizing the host animal (different from host species of primary antibody) with a pooled population of normal immunoglobulins from the host species of primary antibody and can be further purified and modified (i.e. antibody fragmentation, label conjugation, etc.) to ensure well-characterized specificity to corresponding normal immunoglobulins.

Recommended Dilutions Immunogen Information


WB1:5000 - 1:20000Gene IDSwiss ProtImmunogen
Rabbit IgGSynonymsSynonyms

Contact		Product Information		
•	www.abclonal.com	Source Mouse	Isotype IgG	Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.

Validation Data



Western blot analysis of lysates from HeLa cells, using β -Actin (AC026) antibody as the primary antibody at dilution of 1:10000.

Secondary antibody: using HRP-conjugated AffiniPure Mouse Anti-Rabbit IgG (H+L) antibody (AS079)) at 1:5000-1:10000 dilution.