

Recombinant Human Apolipoprotein E/ApoE Protein

Catalog No.: RP00306 Recombinant

Sequence Information

Species Gene ID Swiss Prot Human 348 P02649

Tags C-6×His

Synonyms

APOE;AD2;APO-E;ApoE4;LDLCQ5;LPG;ApoE

Product Information

Source Purification HEK293 cells > 95% by SDS-PAGE.

Endotoxin

< 1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.2 µm filtered solution of 20 mM PB, 150 mM NaCl, pH7.4.Contact us for customized product form or formulation.

Reconstitution

Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water.

Background

This protein is a major apoprotein of the chylomicron. It binds to a specific liver and peripheral cell receptor, and is essential for the normal catabolism of triglyceride-rich lipoprotein constituents. This gene maps to chromosome 19 in a cluster with the related apolipoprotein C1 and C2 genes. Mutations in this gene result in familial dysbetalipoproteinemia, or type III hyperlipoproteinemia (HLP III), in which increased plasma cholesterol and triglycerides are the consequence of impaired clearance of chylomicron and VLDL remnants.

Basic Information

Description

Recombinant Human Apolipoprotein E/ApoE Protein is produced by Human Cell expression system. The target protein is expressed with sequence (Lys19-His317) of human Apolipoprotein E/ApoE (Accession #P02649) fused with a 6×His tag at the C-terminus.

Bio-Activity

Storage

Store the lyophilized protein at -20°C to -80 °C for long term.
 After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week.


Avoid repeated freeze/thaw cycles.

Contact



www.abclonal.com

Validation Data



Recombinant protein Human Apolipoprotein E/ApoE was determined by SDS-PAGE under reducing conditions with Coomassie Blue, showing a band at 35 kDa.