

**VGLUT2 Antibody**  
**VGLUT2 Antibody, Clone S29-29**  
**Catalog # ASM10229**

**Specification**

---

**VGLUT2 Antibody - Product Information**

Application	<b>WB</b>
Primary Accession	<a href="#">O9JI12</a>
Other Accession	<a href="#">NP_445879.1</a>
Host	<b>Mouse</b>
Isotype	<b>IgG1</b>
Reactivity	<b>Human, Mouse, Rat</b>
Clonality	<b>Monoclonal</b>

**Description**

Mouse Anti-Rat VGLUT2 Monoclonal IgG1

**Target/Specificity**

Detects ~60kDa.

**Other Names**

Differentiation associated BNPI Antibody, DNPI Antibody, SLC17A6 Antibody, Solute carrier family 17 member 6 Antibody, Vesicular glutamate transporter 2 Antibody, Differentiation associated Na dependent inorganic phosphate cotransporter Antibody, Solute carrier family 17 (Sodium dependent inorganic phosphate cotransporter) member 6 Antibody, Differentiation associated Na(+) dependent inorganic phosphate cotransporter Antibody, Differentiation-associated Na(+)-dependent inorganic phosphate cotransporter Antibody, Sodium dependent inorganic phosphate cotransporter Antibody

**Immunogen**

Fusion protein amino acids 501-582 (cytoplasmic C-terminus) of rat VGlut2

**Purification**

Protein G Purified

Storage **-20°C**

**Storage Buffer**

PBS pH7.4, 50% glycerol, 0.09% sodium azide

Shipping Temperature **Blue Ice or 4°C**

**Certificate of Analysis**

1 µg/ml of SMC-395 was sufficient for detection of VGLut2 in 20 µg of rat brain lysate by colorimetric immunoblot analysis using goat anti-mouse IgG:HRP as the secondary antibody.

**Cellular Localization**


Cytoplasmic Vesicle | Secretory Vesicle | Synaptic Vesicle Membrane | Membrane | Cell Junction | Synapse

**VGLUT2 Antibody - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### VGLUT2 Antibody - Images



Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-VGLUT2 Monoclonal Antibody, Clone S29-29 (ASM10229). Tissue: Neuroblastoma cell line (SK-N-BE). Species: Human. Fixation: 4% Formaldehyde for 15 min at RT. Primary Antibody: Mouse Anti-VGLUT2 Monoclonal Antibody (ASM10229) at 1:100 for 60 min at RT. Secondary Antibody: Goat Anti-Mouse ATTO 488 at 1:200 for 60 min at RT. Counterstain: Phalloidin Texas Red F-Actin stain; DAPI (blue) nuclear stain at 1:1000, 1:5000 for 60 min at RT, 5 min at RT. Localization: Cytoplasmic Vesicle, Secretory Vesicle, Synaptic Vesicle Membrane, Membrane, Cell Junction, Synapse. Magnification: 60X. (A) DAPI (blue) nuclear stain (B) Phalloidin Texas Red F-Actin stain (C) VGLUT2 Antibody (D) Composite.



Western Blot analysis of Rat brain membrane lysate showing detection of VGLUT2 protein using Mouse Anti-VGLUT2 Monoclonal Antibody, Clone S29-29 (ASM10229). Primary Antibody: Mouse Anti-VGLUT2 Monoclonal Antibody (ASM10229) at 1:000.

### **VGLUT2 Antibody - Background**

The ATP-dependent, chloride-sensitive vesicular glutamate transporters (VGLUT) include BNPI (VGLUT1), VGLUT2 (DNPI) and VGLUT3. The brain expresses BNPI (brain specific Na<sup>+</sup>-dependent inorganic phosphate (Pi) cotransporter) and VGLUT2 in a complementary fashion. The telencephalic regions express BNPI, whereas the lower brainstem and diencephalic regions express VGLUT2. Rat pinealocytes express both BNPI and VGLUT2. The striatum, hippocampus, cerebral cortex and raphe nuclei express VGLUT3 in a small number of neurons. Pancreatic  $\alpha$  and  $\beta$  cells express BNPI and VGLUT2 in response to glucose concentrations. Human VGLUT3 shares a 72% sequence homology with VGLUT2 and BNPI.

### **VGLUT2 Antibody - References**

1. Aihara Y., et al. (2000) J Neurochem. 74: 2622-2625.
2. Kaneko T., and Fujiyama F. (2002) Neurosci Res. 42: 243-250.
3. Gras C., et al. (2002) J Neurosci. 22: 5442-5451.
4. Takamori S., Malherbe P., Broger C., and Jahn R. (2002) EMBO Rep. 3: 798-803.
5. Morimoto R., Hayashi M., Yatsushiro S., Otsuka M., Yamamoto A., and Moriyama Y. (2003) J Neurochem. 84: 382-391.
6. Bai L., Zhang X., and Ghishan F.K. (2003) Am. J. Physiol. Gastrointest. Liver Physiol. 284: G808-814.