

A7825

Leader in Biomolecular Solutions for Life Science



# VANGL2 Rabbit pAb

Catalog No.: A7825 **2 Publications**

## Basic Information

### Observed MW

70kDa

### Calculated MW

60kDa

### Category

Polyclonal Antibody

### Applications

WB,IHC-P,ELISA

### Cross-Reactivity

Human,Mouse

## Background

The protein encoded by this gene is a membrane protein involved in the regulation of planar cell polarity, especially in the stereociliary bundles of the cochlea. The encoded protein transmits directional signals to individual cells or groups of cells in epithelial sheets. This protein is also involved in the development of the neural plate.

## Recommended Dilutions

WB	1:500 - 1:2000
IHC-P	1:50 - 1:200

## Immunogen Information

<b>Gene ID</b>	<b>Swiss Prot</b>
57216	Q9ULK5

### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-110 of human VANGL2 (NP\_065068.1).

### Synonyms

LPP1; LTAP; STB1; STBM; STBM1; VANGL2

## Contact

 [www.abclonal.com](http://www.abclonal.com)


## Product Information

<b>Source</b>	<b>Isotype</b>	<b>Purification</b>
Rabbit	IgG	Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.  
Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of various lysates using VANGL2 Rabbit pAb (A7825) at 1:1000 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.



Immunohistochemistry analysis of paraffin-embedded Human kidney cancer using VANGL2 Rabbit pAb (A7825) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.