

Distributed by:

CliniSciences Group



phosphosolutions<sup>®</sup>

# ANTIBODIES THAT WORK<sup>™</sup>

## Neuroscience and Cancer Research

### ANTIBODIES

Phosphospecific Antibodies  
GABA and Glutamate Receptors  
Ion Channels and Modulators  
Scaffolding and Synaptic Vesicle Proteins  
Apoptosis  
Cell Cycle  
Cell Signaling  
Extracellular Matrix and Cell Adhesion Proteins  
DNA Damage and Repair

### CUSTOM PHOSPHOSPECIFIC ANTIBODY SERVICES

**25% OFF YOUR FIRST ORDER!** See back for details.

**ANTIBODIES THAT WORK™**

It is more than just our motto; antibodies that work are our ONLY focus. Not only do we have the know-how to produce antibodies that work, we walk the walk.

**What Makes Us Different?**

- If we attempt to make an antibody and it doesn't work, we throw it away. We never sell an antibody that we can't get to work in our hands.
- We guarantee our antibodies. If you can't get the antibody to work in your application, we will provide a 100% refund.

We are dedicated to reproducibility. Look for our **"Pooled Serum"** icon. 🧴 Each antibody with this icon is purified from its own pool of serum to ensure lot-to-lot consistency.

**POOLED SERUM IS THE KEY!**

It's no secret that reproducibility is a huge issue in scientific research. An antibody may work great initially, but when the "same" antibody is reordered, it shows completely different results. This variability happens because many companies purify different lots from different bleeds of an animal or even from entirely different animals altogether.

There is a very straightforward fix to this problem. Our solution is to pool all of the positively screened serum before the antibody is ever released. Therefore, all antibody lots sold subsequently are virtually identical, as they have all been purified from aliquots of the same, pooled starting material. With this practice, virtually all lot-to-lot variability is eliminated for polyclonal antibodies. Once the pool of serum has been depleted, then that catalog number is discontinued and new rabbits are immunized and screened for future release.

Is this a lot of extra care to put into antibody production? Of course! Is it worth it? Absolutely! We are passionate about antibodies that work and feel that you deserve research tools that you can count on, time and time again.

**FOUR GREAT BRANDS, ONE GREAT TEAM**

**PhosphoSolutions** has joined forces with two leaders in the neuroscience field, Antibodies Incorporated and Aves Labs. This partnership enables us to offer 1,500 internally produced and validated antibodies in multiple species for ready multiplexing and provide a full suite of custom antibody services to help advance your neuroscience and cancer research.



Founded in 1962, **Antibodies Inc.** is highly regarded among neuroscientists for our best in class mouse monoclonal antibodies against critical neuroscience targets. Our catalog includes the entire NeuroMab antibody portfolio, many of which have been knockout validated in mouse brain.




**Aves Labs** leads the industry for development of highly-validated chicken antibodies and offers a catalog heavily focused on neuroscience. The company has pioneered novel algorithms for finding highly-immunogenic sequences within proteins and uses this expertise to produce antibodies of unparalleled performance for our antibody catalog and for customers on a custom basis.

**ImmunoChemistry Technologies** is your partner in Cell Viability Assays, ELISA Reagents, IHC Reagents, and Immunoassay Services. With decades of immunoassay and protein chemistry expertise, ICT offers a wide range of products for immunoassay, cellular, and molecular diagnostics development. Our kits include fluorescent whole cell assays for intracellular apoptosis detection, oxidative stress, caspase activity, and more. Build a better ELISA with our coating and wash buffers, blockers, sample and assay diluents, stabilizers, and stop solutions, or utilize our assay development services.




CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p1433-58</b>	Anti-14-3-3 (Ser58) Antibody ▲	<b>Human, Mouse, Rat</b> , Bovine, Canine, Chicken, Non-Human Primate, Sheep, Xenopus, Zebrafish	WB, IHC
<b>1433-P</b>	Anti-14-3-3 Protein Antibody ▲	<b>Rat</b> , Bovine, Canine, Chicken, Human, Mouse, Non-Human Primate, Xenopus, Zebrafish	WB
<b>p175-523</b>	Anti-5-Lipoxygenase (Ser523) Antibody ▲	<b>Human, Mouse, Rat</b> , Non-Human Primate	WB
<b>RM2891*</b>	Anti-A-Raf (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24106</b>	Anti-AAV Antibody	<b>Human Adeno-Associated Virus (AAV)</b>	WB
<b>24107</b>	Anti-AAV4 VP3 Antibody	<b>Human Adeno-Associated Virus (AAV)</b>	WB
<b>24108</b>	Anti-AAV5 VP3 Antibody	<b>Human Adeno-Associated Virus (AAV)</b>	WB
<b>115-ABCA4</b>	Anti-ABCA4 (Rim Protein) Antibody	<b>Bovine, Human, Mouse, Xenopus</b>	WB, IHC
<b>24169</b>	Anti-Acinus Antibody	<b>Human</b>	WB
<b>24170</b>	Anti-Acinus Antibody	<b>Human</b>	WB
<b>24150</b>	Anti-ACT Antibody	<b>Human</b>	WB
<b>125-ACT*</b>	Anti-Actin Antibody	<b>All Known Species</b>	WB, IHC, ICC
<b>AM2021*</b>	Anti-Actin (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IHC
<b>AP1651</b>	Anti-Actin (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>AP1671</b>	Anti-Actin (Tyr-53), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>AM0081</b>	Anti-β-Actin Antibody	<b>Human</b>	WB, ICC, IP
<b>127-ACTN4</b>	Anti-α-Actinin 4 Antibody	<b>Human, Mouse</b>	WB, IHC
<b>AP4271</b>	Anti-α-Actinin 4 (N-terminal) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>AP4241</b>	Anti-α-Actinin 4 (Tyr-4), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24110</b>	Anti-Adenovirus 3 Antibody	<b>Human Adenovirus 3</b>	WB
<b>85-AC3*</b>	Anti-Adenylate Cyclase III Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>AM5761</b>	Anti-Adiponectin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>AM5771</b>	Anti-Adiponectin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24223</b>	Anti-ADNP Antibody	<b>Human</b>	WB
<b>24537</b>	Anti-Adrenergic Receptor α2c Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>91-AIF1</b>	Anti-AIF1/Iba1 Antibody ▲	<b>Human, Mouse</b>	WB, ICC
<b>AP5501</b>	Anti-AIFM1 (Ser-116), Phosphospecific Antibody	<b>Human</b>	WB
<b>AP3851</b>	Anti-AIM2 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>AM1011*</b>	Anti-Akt (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>AM1141*</b>	Anti-Akt (Ser-473), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, IP
<b>AP1001</b>	Anti-Akt (Thr-34), Phosphospecific Antibody	<b>Human, Rabbit, Rat</b>	WB
<b>p104-342</b>	Anti-AKT (Thr342) Antibody ▲	<b>Drosophila</b>	WB
<b>AM5581</b>	Anti-ALDH1A1 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>AM5621</b>	Anti-ALDH1A1 (N-terminal region) Antibody	<b>Human</b>	WB, ICC
<b>24139</b>	Anti-Alien Antibody	<b>Drosophila, Human, Mouse, Rat</b>	WB
<b>24357</b>	Anti-Alivin1 (AMIGO2) Antibody	<b>Mouse, Rat</b>	WB
<b>144-APP</b>	Anti-Amyloid Precursor Protein Antibody	<b>Mouse, Rat</b> , Canine, Chicken, Human, Non-Human Primate	WB
<b>p111-94</b>	Anti-Androgen Receptor (Ser94) Antibody ▲	<b>Human</b> , Non-Human Primate	WB
<b>AM0211</b>	Anti-Annexin A1 Antibody	<b>Human</b>	WB, ICC, IP
<b>AM2981*</b>	Anti-Annexin A2 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>AM0091</b>	Anti-Annexin A2 Antibody	<b>Human</b>	WB, ICC, IP
<b>AM0171</b>	Anti-Annexin A5 Antibody	<b>Human</b>	WB, IP
<b>24184</b>	Anti-Antennapedia Homeodomain Antibody	<b>All</b>	WB
<b>HM0501</b>	Anti-Anti-His (C-terminal) Tag Antibody	<b>N/A</b>	WB, ICC, IHC, IP, FC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>AM5001*</b>	Anti-APC (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>AM5021*</b>	Anti-APC (Central region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p112-261</b>	Anti-Aquaporin 2 (Ser261) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Chicken, Non-Human Primate</b>	WB, IHC, ICC, IP
<b>p112-264</b>	Anti-Aquaporin 2 (Ser264) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Chicken, Non-Human Primate</b>	WB, IHC
<b>p112-269</b>	Anti-Aquaporin 2 (Ser269) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine</b>	WB, IHC, ICC, IP
<b>134-AQP4</b>	Anti-Aquaporin 4 Antibody 	<b>Human, Mouse, Rat</b>	WB
<b>146-ARG1</b>	Anti-Arginase 1 (ARG1) Antibody	<b>Guinea Pig, Human, Mouse, Rat</b>	WB, IHC
<b>AM5271*</b>	Anti-Argonaute 2 (N-terminus) Antibody	<b>Bovine, Human</b>	WB
<b>AP5291</b>	Anti-Argonaute 2 (Ser-387), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>AP5311</b>	Anti-Argonaute 2 (Tyr-393), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>AP5281</b>	Anti-Argonaute 2 Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>AP3861</b>	Anti-Arp2 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC, IP
<b>AP3871</b>	Anti-Arp2 (Thr-237/Thr-238), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>AP4581</b>	Anti-Arp3 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC, IHC
<b>AP4321</b>	Anti-Arpc1b/p41-Arc (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, IP, ICC
<b>AP4351</b>	Anti-Arpc1b/p41-Arc (Thr-21), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>24125</b>	Anti-Artemin Antibody	<b>Human</b>	WB
<b>24241</b>	Anti-Artemis Antibody	<b>Human</b>	WB
<b>AP5631</b>	Anti-Asc (Tyr-144), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p115-4908</b>	Anti-ATF2 (Ser490,498) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>p115-52</b>	Anti-ATF2 (Thr52) Antibody	<b>Human, Mouse</b>	WB
<b>AM3611*</b>	Anti-ATM (C-terminal region) Antibody	<b>Human</b>	WB, IP, ICC, FC




CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>AM3661*</b>	Anti-ATM (Ser-1981), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, IP, ICC
<b>AP3631</b>	Anti-ATM (Ser-794), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, FC
<b>p116-239</b>	Anti-ATRIP (Ser239) Antibody	<b>Mouse, Bovine, Human, Non-Human Primate, Sheep</b>	WB
<b>AM3141</b>	Anti-Atrogin-1 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>AP2041</b>	Anti-Atrogin-1 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>AM0471</b>	Anti-Axl/UFO (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>24275</b>	Anti-AXUD1 Antibody	<b>Human</b>	WB
<b>RP2011</b>	Anti-B-Raf (N-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>RP2031</b>	Anti-B-Raf (S446) [C-Raf (S338)/A-Raf (S299)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>BM0451</b>	Anti-B7-H3/CD276 (Extracellular region) Antibody	<b>Human</b>	WB, IP, ICC
<b>BP4971*</b>	Anti-Bad (Ser-112), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>BP4951</b>	Anti-Bad (Ser-26), Phosphospecific Antibody	<b>Mouse, Rat</b>	WB
<b>24129</b>	Anti-Bcl10 Antibody	<b>Human</b>	WB
<b>p117-234</b>	Anti-Becclin1 (Ser234) Antibody	<b>Human, Mouse, Rat, Bovine, Canine, Non-Human Primate, Sheep</b>	WB
<b>p117-295</b>	Anti-Becclin1 (Ser295) Antibody	<b>Human, Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus, Zebrafish</b>	WB
<b>BP1231</b>	Anti-Blasticidin S Deaminase Antibody	<b>N/A</b>	WB, ICC
<b>36879</b>	Anti-Brachyury Antibody	<b>Human</b>	WB
<b>24192</b>	Anti-BRAF35 Antibody	<b>Human</b>	WB
<b>24419</b>	Anti-BRCAA1 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24103</b>	Anti-BRSV Antibody	<b>Bovine Respiratory Syncytial Virus</b>	WB
<b>AM2091*</b>	Anti-c-Abl (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>AP1251</b>	Anti-c-Abl (Tyr-245), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB







CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>AP1271</b>	Anti-c-Abl (Tyr-412), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM1591*</b>	Anti-c-Cbl (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM1611</b>	Anti-c-Cbl (Tyr-700), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>309-cFOS*</b>	Anti-c-FOS Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>RP2071</b>	Anti-C-Raf (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>RM2081*</b>	Anti-C-Raf (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>RP2901</b>	Anti-C-Raf (S471) [B-Raf (S579)/A-Raf (S432)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM2591*</b>	Anti-c-Src (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, IP
<b>SP1371</b>	Anti-c-Src (Tyr-215) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM2611</b>	Anti-c-Src (Tyr-530) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>302-CALB*</b>	Anti-Calbindin Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC
<b>311-CGRP</b>	Anti-Calcitonin Gene Related Peptide (CGRP) Antibody	<b>Human, Rat</b>	ICC
<b>CM4371*</b>	Anti-Calnexin (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>303-CAL*</b>	Anti-Calretinin Antibody	<b>Rat, Human, Mouse, Non-Human Primate</b>	WB, IHC
<b>p1005-286</b>	Anti-CaM Kinase II (Thr286) Antibody 	<b>Human, Mouse, Rabbit, Rat, Zebrafish</b>	WB, IHC
<b>p1005-306</b>	Anti-CaM Kinase II (Thr306) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Non-Human Primate, Sheep, Xenopus, Zebrafish</b>	WB
<b>24344</b>	Anti-CARP Antibody	<b>Human</b>	WB
<b>CM3771*</b>	Anti-Caspase-3 (N-terminal region) Antibody	<b>Human</b>	WB, ICC
<b>CM4911*</b>	Anti-Caspase-3 (p17 subunit) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>CM3781*</b>	Anti-Caspase-6 (C-terminal region) Antibody	<b>Human</b>	WB
<b>CM3821*</b>	Anti-Caspase-8 (C-terminal region) Antibody	<b>Human</b>	WB
<b>305-CaSR</b>	Anti-CaSR Antibody 	<b>Human, Mouse, Rat</b>	WB



CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>CP3431</b>	Anti-α1-Catenin (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>CP3451</b>	Anti-α1-Catenin (Tyr-148), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>213-bCAT</b>	Anti-β-Catenin Antibody 	<b>Mouse, Rat, Human</b>	WB, ICC
<b>CM1181*</b>	Anti-β-Catenin Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>CP1061</b>	Anti-β-Catenin (N-terminal) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, IP
<b>CP1081</b>	Anti-β-Catenin (Tyr-142) [γ-Catenin (Tyr-133)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP3051</b>	Anti-β-Catenin (Tyr-333) [γ-Catenin (Tyr-324)], Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>CP2961</b>	Anti-β-Catenin (Tyr-489) [γ-Catenin (Tyr-480)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP4021</b>	Anti-β-Catenin (Tyr-654) [γ-Catenin (Tyr-644)], Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>CP1191</b>	Anti-β-Catenin (Tyr-86), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP2971</b>	Anti-γ-Catenin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CP1121</b>	Anti-γ-Catenin (Tyr-550), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CM3541</b>	Anti-δ1-Catenin (central region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>CM3561</b>	Anti-δ1-Catenin (Tyr-228), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP2781*</b>	Anti-Caveolin-1 (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>CM2831</b>	Anti-Caveolin-1 (Tyr-14), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CM2811*</b>	Anti-Caveolin-1 Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>36898</b>	Anti-CD133 (Prominin1) Antibody	<b>Human</b>	WB, IHC
<b>CM0361</b>	Anti-CD147/Emmprin/Basigin (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0521</b>	Anti-CD147/Emmprin/Basigin (Extracellular region) Antibody	<b>Human</b>	WB
<b>CM0481</b>	Anti-CD155/PVR (Extracellular region) Antibody	<b>Human</b>	WB, IP, ICC
<b>CM0531</b>	Anti-CD244/2B4/SLAMF4 (Extracellular region) M053 Antibody	<b>Human</b>	WB, IP, ICC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>CM0851</b>	Anti-CD244/2B4/SLAMF4 (Extracellular region) M085 Antibody	<b>Human</b>	WB(Nat), ICC, IP
<b>24144</b>	Anti-CD28 Antibody	<b>Human</b>	WB
<b>CM0071</b>	Anti-CD44 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0101</b>	Anti-CD44 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0241</b>	Anti-CD44 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM5881</b>	Anti-CD44 (Hyaluron Binding Region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM5911</b>	Anti-CD44 (Hyaluron Binding Region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0371</b>	Anti-CD46 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0541</b>	Anti-CD47 (Extracellular region) Antibody	<b>Human</b>	WB(Nat), ICC, IP
<b>CM0021</b>	Anti-CD55 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0331</b>	Anti-CD55 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0111</b>	Anti-CD59 (glycoprotein) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0151</b>	Anti-CD59 (glycoprotein) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0341</b>	Anti-CD63 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>CM0401</b>	Anti-CD63 (Extracellular region) Antibody	<b>Human</b>	WB, ICC
<b>307-CD71</b>	Anti-CD71 Antibody	<b>Human</b>	WB, IHC
<b>24200</b>	Anti-CD72 (C-terminus) Antibody	<b>Human</b>	WB
<b>CM0641</b>	Anti-CD73/NT5E Antibody	<b>Human</b>	WB, IP
<b>312-CD75</b>	Anti-CD75 (Transferrin receptor) Antibody	<b>Human</b>	WB, IHC
<b>24528</b>	Anti-CD9 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM0261</b>	Anti-CD99 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>CM0301</b>	Anti-CD99 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p135-15</b>	Anti-cdc2 (Tyr15) Antibody 	<b>Human, Mouse, Xenopus</b> , Rat, Zebrafish	WB
<b>CM1521*</b>	Anti-Cdc42 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CM4301</b>	Anti-Cdc42 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CM2261*</b>	Anti-Cdk1 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>CM2311*</b>	Anti-Cdk1 (Tyr-15) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>308-CDK5</b>	Anti-CDK5 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>CM2361*</b>	Anti-CDK5 Antibody	<b>Human, Mouse, Rat</b>	WB, IP, ICC
<b>315-ChAT*</b>	Anti-ChAT (Choline Acetyltransferase) Antibody	<b>Chicken, Guinea Pig, Human, Mouse, Non-Human Primate, Rat</b>	WB, IHC
<b>316-ChAT*</b>	Anti-ChAT (Choline Acetyltransferase) Antibody	<b>Chicken, Guinea Pig, Human, Mouse, Non-Human Primate, Rat</b>	WB, IHC
<b>p142-477</b>	Anti-Che-1 (AATF) (Ser477) Antibody 	<b>Human</b> , Bovine, Canine, Mouse, Non-Human Primate, Rat, Sheep, Xenopus	WB
<b>24316</b>	Anti-CIDE3 Antibody	<b>Human, Mouse</b>	WB
<b>p145-153</b>	Anti-CK1Mt (Tyr153) Antibody 	<b>Human, Mouse</b> , Bovine, Canine, Guinea Pig, Hamster, Non-Human Primate, Rabbit, Rat, Sheep	WB
<b>24306</b>	Anti-CLAC-P (NC2-1 region) Antibody	<b>Human, Mouse</b>	WB
<b>24307</b>	Anti-CLAC-P (NC2-2 region) Antibody	<b>Human, Mouse</b>	WB
<b>24308</b>	Anti-CLAC-P (NC3 region) Antibody	<b>Human, Mouse</b>	WB
<b>24264</b>	Anti-CLAN (CARD12) Antibody	<b>Human</b>	WB
<b>CM5011*</b>	Anti-CLASP1 (C-terminus) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>CM5051*</b>	Anti-CLASP2 (N-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>317-CLAV</b>	Anti-Clavesin Antibody	<b>Rat</b> , Human, Mouse	WB, ICC
<b>326-CNP</b>	Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody	<b>Human, Mouse, Rat, Sheep</b>	WB, IHC
<b>326-CNPt</b>	Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC
<b>325-CNP*</b>	Anti-CNP (2,3-cyclic nucleotide-3-phosphodiesterase) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>37125</b>	Anti-CNPase Antibody	<b>Human</b>	WB
<b>319-COBRA</b>	Anti-COBRA1 (NELF-B) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CP1131</b>	Anti-Cofilin 1 (N-terminus) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>CP1151</b>	Anti-Cofilin 1 (Ser-3), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>321-COLP*</b>	Anti-Collagen 1, α1 propeptide Antibody	<b>Human, Mouse, Rat</b> , Bovine, Canine, Chicken, Feline, Finch, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole, Xenopus	WB, IHC
<b>322-COLT*</b>	Anti-Collagen 1, α1 telopeptide Antibody	<b>Human, Mouse, Rat, Sheep</b> , Bovine, Canine, Chicken, Feline, Finch, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Vole, Xenopus	WB, IHC
<b>24177</b>	Anti-COM1/p8 (N-terminus) Antibody	<b>Human</b>	WB
<b>pCx35-276</b>	Anti-Connexin 35/36 (Ser276) Antibody 	<b>Fish, Mouse, Rabbit</b>	WB, IHC
<b>p1007-368</b>	Anti-Connexin 43 (Ser368) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Guinea Pig, Human, Zebrafish	WB
<b>327-CON</b>	Anti-Connexin 43 Antibody	<b>Rat</b> , Canine, Chicken, Human, Non-Human Primate, Mouse, Sheep, Xenopus, Zebrafish	WB, IHC
<b>CM4961*</b>	Anti-Connexin-43 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>CP2581</b>	Anti-Coronin-1B (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP2621</b>	Anti-Coronin-1B (Ser-2), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p1008-58</b>	Anti-COXIV (Ser58) Antibody 	<b>Mouse, Rat</b>	WB
<b>CP4141*</b>	Anti-CREB (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IP
<b>CM4151*</b>	Anti-CREB (Ser-133), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>CP4161</b>	Anti-CREB (Ser-271), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>p1010-133</b>	Anti-CREB (Ser133) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Sheep, Xenopus, Zebrafish	WB, IHC
<b>24325</b>	Anti-CRG-L2 Antibody	<b>Human</b>	WB
<b>304-cas9*</b>	Anti-CRISPR Cas9 Antibody		WB, IHC, ICC
<b>CM3321*</b>	Anti-Crk II (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, IP
<b>CP4701*</b>	Anti-Crk II (Tyr-221), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB






CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>CP3091</b>	Anti-Crk II (Tyr-251), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, IHC
<b>CP3081</b>	Anti-CrkL (C-terminus) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>CP4671*</b>	Anti-CrkL (Tyr-207), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>CP2161</b>	Anti-CRMP2 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>CP2191</b>	Anti-CRMP2 (Ser-522), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP2251</b>	Anti-CRMP2 (Thr-555), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CM5391</b>	Anti-CRMP2 (Thr-555), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24220</b>	Anti-CRTR1 Antibody	<b>Human</b>	WB
<b>p1012-326</b>	Anti-CtlP (Ser326) Antibody 	<b>Human</b> , Non-Human Primate	WB
<b>p1012-327</b>	Anti-CtlP (Ser327) Antibody 	<b>Human</b> , Non-Human Primate	WB
<b>p1012-847</b>	Anti-CtlP (Thr847) Antibody 	<b>Human</b> , Bovine, Canine, Chicken, Finch, Goat, Guinea Pig, Non-Human Primate, Mouse, Sheep	WB
<b>CP4211</b>	Anti-CXCR4 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>CP4231*</b>	Anti-CXCR4 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP4251</b>	Anti-CXCR4 (Ser-324/Ser-325), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IHC
<b>24123</b>	Anti-Cyclin E1 Antibody	<b>Human</b>	WB
<b>24122</b>	Anti-Cyclin E2 Antibody	<b>Human</b>	WB
<b>CM0191</b>	Anti-Cyclophilin B Antibody	<b>Human</b>	WB, ICC, IP
<b>DM3511*</b>	Anti-DAAM1 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p1025-137</b>	Anti-DARPP-32 (Ser137) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Human, Non-Human Primate	WB
<b>p1025-34</b>	Anti-DARPP-32 (Thr34) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate	WB
<b>p1025-75</b>	Anti-DARPP-32 (Thr75) Antibody	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate	WB
<b>374-DARPP</b>	Anti-DARPP-32 Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus	WB, IHC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>24216</b>	Anti-β-Defensin Antibody	<b>Human</b>	WB
<b>p1030-554</b>	Anti-DENND3 (Ser554) Antibody 	<b>Human, Non-Human Primate, Mouse, Rat, Sheep</b>	WB
<b>p1030-450</b>	Anti-DENND3 (Thr450) Antibody 	<b>Human</b>	WB
<b>24261</b>	Anti-DENTT Antibody	<b>Human</b>	WB
<b>p1035-377</b>	Anti-DGCR8 (Ser377) Antibody 	<b>Human, Mouse</b>	WB
<b>24267</b>	Anti-DIABLO Antibody	<b>Human</b>	WB
<b>DP3021</b>	Anti-DISC1 (C-terminus) Antibody	<b>Mouse, Rat</b>	WB
<b>DP3061</b>	Anti-DISC1 (Ser-710), Phosphospecific Antibody	<b>Mouse, Rat</b>	WB
<b>DP3041</b>	Anti-DISC1 Antibody	<b>Mouse, Rat</b>	WB
<b>DP2181</b>	Anti-Dok1 (Ser-450), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>DP2241</b>	Anti-Dok1 (Tyr-362) [Dok2 (Tyr-337)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>417-DDC</b>	Anti-DOPA Decarboxylase Antibody 	<b>Bovine, Human, Mouse, Rat</b>	WB
<b>418-DDCH</b>	Anti-DOPA Decarboxylase Antibody 	<b>Bovine, Canine, Guinea Pig, Human, Rabbit, Rat, Sheep</b>	WB
<b>420-DBHC</b>	Anti-Dopamine β-Hydroxylase, C-Terminus Antibody 	<b>Human, Mouse, Non-Human Primate</b>	WB
<b>423-DBHN</b>	Anti-Dopamine β-Hydroxylase, N-Terminus Antibody 	<b>Human Non-Human Primate</b>	WB
<b>p435-53</b>	Anti-Dopamine Transporter (Thr53) Antibody 	<b>Mouse, Rat</b>	WB
<b>431-DATC</b>	Anti-Dopamine Transporter, C-Terminus Antibody 	<b>Human, Mouse, Non-Human Primate, Rat</b>	WB, IHC
<b>434-DATEL2</b>	Anti-Dopamine Transporter, Extracellular Loop 2 Antibody 	<b>Human Non-Human Primate</b>	WB, IHC
<b>451-DCX*</b>	Anti-Doublecortin Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>24385</b>	Anti-DPP10 Antibody	<b>Human</b>	WB
<b>DP3671</b>	Anti-Draxin (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>465-DsbA-L</b>	Anti-DsbA-L (Disulfide-bond-A oxidoreductase-like protein) Antibody	<b>Human, Mouse</b>	WB, IHC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p1050-774</b>	Anti-Dynamin (Ser774) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate</b>	WB, ICC
<b>p1050-778</b>	Anti-Dynamin (Ser778) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human</b>	WB
<b>480-DYN</b>	Anti-Dynamin Antibody	<b>Human, Mouse, Rat, Bovine, Chicken, Non-Human Primate</b>	WB
<b>DM1171</b>	Anti-β-Dystroglycan (Tyr-892), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM5331</b>	Anti-E-Cadherin (C-terminal fragment) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CP1921</b>	Anti-E-Cadherin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM1681</b>	Anti-E-Cadherin (Cytoplasmic) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>24393</b>	Anti-EAPII Antibody	<b>Human</b>	WB
<b>EM3471*</b>	Anti-Early Endosome Antigen 1 (EEA1) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EM5041*</b>	Anti-EB1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EM5061*</b>	Anti-EB1/EB2/EB3 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EM5081*</b>	Anti-EB2 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EP5121</b>	Anti-EB3 (central region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP4981</b>	Anti-EB3 (Ser-162), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP5131</b>	Anti-EB3 (Ser-176), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EM5101*</b>	Anti-EB3 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EM5091*</b>	Anti-EB3 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p153-358</b>	Anti-eEF1A2 (Ser358) Antibody 	<b>Human, Mouse, Chicken, Non-Human Primate, Rat, Sheep, Xenopus</b>	WB
<b>EP4661</b>	Anti-eEF2K (C-terminus) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC, IP
<b>EP4431</b>	Anti-eEF2K (Ser-359), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP5441</b>	Anti-eEF2K (Ser-398), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP5461</b>	Anti-eEF2K (Ser-445), Phosphospecific Antibody	<b>Human, Mouse, Rat, Xenopus</b>	WB



CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>EP4451</b>	Anti-eEF2K (Ser-500), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP4391</b>	Anti-eEF2K (Ser-78), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP4411</b>	Anti-eEF2K (Thr-348), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>EP1871</b>	Anti-EGFR (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EP1931</b>	Anti-EGFR (Ser-1142), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EP1911</b>	Anti-EGFR (Ser-967), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EM1991</b>	Anti-EGFR (Tyr-1101), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>495-eIF4A2</b>	Anti-eIF4A2 Antibody 	<b>Human, Mouse, Bovine, Non-Human Primate, Rat</b>	WB
<b>24227</b>	Anti-EIF5a2 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p155-383</b>	Anti-Elk-1 (Ser383) Antibody	<b>Mouse, Rat, Canine, Human, Non-Human Primate, Zebrafish</b>	WB
<b>NM2211</b>	Anti-eNOS (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>NP4121</b>	Anti-eNOS (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>NP4051</b>	Anti-eNOS (Ser-1177), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>NM2321</b>	Anti-eNOS (Ser-632), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>NP4031</b>	Anti-eNOS (Tyr-657)/nNOS (Tyr-895), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>NP2281*</b>	Anti-eNOS Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>EM0391</b>	Anti-EpCAM (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>EM0421</b>	Anti-EpCAM (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>EM0491</b>	Anti-EphA2 (Extracellular region) M049 Antibody	<b>Human</b>	WB (Nat), ICC, IP
<b>EM0601</b>	Anti-EphA2 (Extracellular region) M060 Antibody	<b>Human</b>	WB (Nat), ICC
<b>EM0881</b>	Anti-EphA2 (Extracellular region) M088 Antibody	<b>Human</b>	ICC, IP
<b>EP2711</b>	Anti-EphA4 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB



CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>EM2801*</b>	Anti-EphA4 (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>EP2731</b>	Anti-EphA4 (Tyr-602) [conserved site], Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, IHC
<b>EP2751</b>	Anti-EphA4 (Tyr-779) [conserved site], Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, IHC
<b>EP2821</b>	Anti-Ephexin-1 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>EP2841</b>	Anti-Ephexin-1 (Tyr-87), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>p1110-298</b>	Anti-EphrinB (Tyr298) Antibody 	<b>Human, Rat, Bovine, Canine, Chicken, Non-Human Primate, Mouse, Xenopus, Zebrafish</b>	WB
<b>p1110-317</b>	Anti-EphrinB (Tyr317) Antibody 	<b>Mouse, Rat, Bovine, Chicken, Human, Xenopus, Zebrafish</b>	WB
<b>p1110-331</b>	Anti-EphrinB (Tyr331) Antibody 	<b>Mouse, Rat, Bovine, Chicken, Human, Xenopus, Zebrafish</b>	WB
<b>p160-2024</b>	Anti-ERK/MAPK (Thr202/Tyr204) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Chicken, Non-Human Primate, Xenopus, Zebrafish</b>	WB, IHC, ICC
<b>500-ERK</b>	Anti-ERK/MAPK Antibody 	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EM2331*</b>	Anti-ERK1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>EM2061*</b>	Anti-ERK1 (Thr-202/Tyr-204) [conserved], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>EP4101</b>	Anti-ERK1(T207)/ERK2(T188) [conserved], Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>EP4071</b>	Anti-ERK2 (central region) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>24270</b>	Anti-ESDN Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24221</b>	Anti-ESE1 Antibody	<b>Human</b>	WB
<b>EP5431*</b>	Anti-Estrogen Receptor α (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>EP5471</b>	Anti-Estrogen Receptor α (Tyr-537), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>EM5451</b>	Anti-Estrogen Receptor α (Tyr-537), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>24130</b>	Anti-ETR3 (CUGBP2) Antibody	<b>Human, Mouse</b>	WB
<b>540-EWS*</b>	Anti-EWS Antibody	<b>Canine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>FM1211</b>	Anti-FAK (Tyr-397), Phosphospecific Antibody	<b>Human, Mouse, Rat, Rabbit</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p170-679</b>	Anti-FAM129B (Ser679, 683) Antibody 	<b>Human, Mouse</b> , Non-Human Primate	WB
<b>p171-556</b>	Anti-FANCI (Ser556) Antibody 	<b>Human</b> , Bovine, Goat, Non-Human Primate, Sheep	WB
<b>p171-559</b>	Anti-FANCI (Ser559) Antibody 	<b>Human</b> , Non-Human Primate	WB
<b>FM2651*</b>	Anti-Fascin (clone 55K2) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>FM3151</b>	Anti-Fascin (Ser-39), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, IHC
<b>FP2661</b>	Anti-Fascin (Ser-39), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>24347</b>	Anti-FBG2/FBX06 Antibody	<b>Human</b>	WB
<b>24348</b>	Anti-FBG3 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24349</b>	Anti-FBG4 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24350</b>	Anti-FBG5 Antibody	<b>Human</b>	WB
<b>24253</b>	Anti-FBXW7 (hCdc4) Antibody	<b>Human</b>	WB
<b>FP3481</b>	Anti-FHOD1 (Thr-1141), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>FM3521*</b>	Anti-FHOD1 Antibody	<b>Human</b>	WB, IHC
<b>560-FIB*</b>	Anti-Fibrillarin Antibody	<b>Bovine, Chicken, Drosophila, Human, Mouse, Pig, Rat</b> , Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole	WB, IHC, ICC
<b>FM0131</b>	Anti-Fibronectin (Cell/Heparin2 Binding region) Antibody	<b>Human</b>	WB, ICC, IP
<b>FM0221</b>	Anti-Fibronectin Antibody	<b>Human</b>	WB, ICC, IP
<b>24136</b>	Anti-FKLF Antibody	<b>Human</b>	WB
<b>24168</b>	Anti-FLASH (C-terminus) Antibody	<b>Human</b>	WB
<b>24167</b>	Anti-FLASH (N-terminus) Antibody	<b>Human</b>	WB
<b>p1125-499</b>	Anti-FMRP (Ser499) Antibody 	<b>Chicken, Human, Mouse, Rat</b> , Bovine, Canine, Non-Human Primate, Sheep, Xenopus, Zebrafish	WB, IHC
<b>581-FOX1*</b>	Anti-FOX1 Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>583-FOX3*</b>	Anti-FOX3 (NeuN) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC


CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>592-FRAC</b>	Anti-Fractin Antibody	<b>Human, Rat</b>	WB, IHC, ICC
<b>24137</b>	Anti-Frizzled 7 (fz7) Antibody	<b>Mouse</b>	WB
<b>597-FTO</b>	Anti-FTO (Fat mass and obesity related protein) Antibody	<b>Human, Mouse, Rat</b> , Bovine, Canine, Non-Human Primate, Sheep	WB, ICC
<b>FM0291</b>	Anti-FXYD5/Dysadherin (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>FM0311</b>	Anti-FXYD5/Dysadherin (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>880-GAT1</b>	Anti-GABA Transporter (GAT) 1 Antibody	<b>Human, Mouse, Non-Human Primate, Rat</b>	WB, IHC
<b>881-GAT2</b>	Anti-GABA Transporter (GAT) 2 Antibody	<b>Mouse, Rat</b>	WB, IHC
<b>860A-GB1C</b>	Anti-GABAA Receptor β1 Antibody	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus, Zebrafish	WB
<b>862-GB2C</b>	Anti-GABAA Receptor β2 Antibody	<b>Mouse, Rat</b> , Bovine, Canine, Human, Non-Human Primate	WB
<b>863A-GB3C</b>	Anti-GABAA Receptor β3 Antibody 	<b>Mouse, Rat</b>	WB, IHC
<b>811-GA1C</b>	Anti-GABAA Receptor α1 Antibody	<b>Mouse, Rat</b> , Bovine, Canine, Human, Non-Human Primate	WB, IHC
<b>812-GA1N</b>	Anti-GABAA Receptor α1, N-Terminus Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Human, Non-Human Primate	WB, IHC
<b>822-GA2CL</b>	Anti-GABAA Receptor α2 Antibody 	<b>Mouse</b> , Bovine, Canine, Human, Non-Human Primate, Rat, Zebrafish	WB, ICC
<b>824-GA3N</b>	Anti-GABAA Receptor α3 Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Human, Non-Human Primate, Zebrafish	WB, IHC
<b>845A-GA4C</b>	Anti-GABAA Receptor α4, Antibody 	<b>Mouse, Rat</b>	WB, IHC
<b>846A-GA5C</b>	Anti-GABAA Receptor α5 Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Zebrafish	WB, IHC
<b>847-GA6C</b>	Anti-GABAA Receptor α6 Antibody	<b>Mouse, Rat</b>	WB
<b>850-GA6</b>	Anti-GABAA Receptor α6 Antibody	<b>Mouse, Rat</b>	WB
<b>p1130-327</b>	Anti-GABAA Receptor γ2 (Ser327) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate	WB
<b>832A-GG2C</b>	Anti-GABAA Receptor γ2 Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate	WB, IHC
<b>830-GG2</b>	Anti-GABAA Receptor γ2 Antibody	<b>Mouse, Rat</b> , Chicken, Human, Non-Human Primate, Zebrafish	WB, IHC
<b>868A-GDN</b>	Anti-GABAA Receptor δ, N-Terminus Antibody 	<b>Mouse, Rat</b>	WB, IHC, ICC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p1130-4089</b>	Anti-GABAA Receptor, β3 (Ser408/409) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus, Zebrafish	WB
<b>p1148-783</b>	Anti-GABAB Receptor (Ser783), R2-Subunit Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus	WB, IHC, ICC
<b>p1148-923</b>	Anti-GABAB Receptor (Ser923), R1-Subunit Antibody 	<b>Mouse, Rat</b> , Bovine, Human, Non-Human Primate	WB
<b>24147</b>	Anti-GABABR1b Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24146</b>	Anti-GABABR2 Antibody	<b>Human</b>	WB
<b>24145</b>	Anti-GABARAP Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p1150-41</b>	Anti-GAP43 (Ser41) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus, Zebrafish	WB
<b>875-GAP43*</b>	Anti-GAP43 Antibody	<b>Bovine, Horse, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>615-GEPH</b>	Anti-Gephyrin Antibody	<b>Human, Rat</b>	WB
<b>GM0121*</b>	Anti-Girdin (C-terminus) Antibody	<b>Human</b>	WB, ICC, IHC, IP
<b>GP5791</b>	Anti-Girdin (Ser-1416), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>GP5781</b>	Anti-Girdin (Ser-1674), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>GP5801</b>	Anti-Girdin (Tyr-1764), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>620-GFAP*</b>	Anti-Glial Fibrillary Acidic Protein (GFAP) Antibody	<b>Bovine, Horse, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>621-GFAP*</b>	Anti-Glial Fibrillary Acidic Protein (GFAP) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>24546</b>	Anti-Glial fibrillary acidic protein (GFAP) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>895-GluR1</b>	Anti-GluR1 Antibody	<b>Mouse, Rat</b>	WB
<b>24540</b>	Anti-GluR1 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p1160-831</b>	Anti-GluR1-Subunit (Ser831) Antibody 	<b>Human, Mouse, Rat</b> , Canine, Chicken	WB
<b>p1160-845</b>	Anti-GluR1-Subunit (Ser845) Antibody 	<b>Mouse, Rat</b> , Human, Non-Human Primate	WB, IHC
<b>900-GluR2</b>	Anti-GluR2 Antibody	<b>Rat</b> , Chicken, Human, Non-Human Primate, Mouse, Zebrafish	WB
<b>p1170-880</b>	Anti-GluR2-subunit (Ser880) Antibody	<b>Rat</b> , Chicken, Human, Non-Human Primate, Mouse, Zebrafish	WB





CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>905-GluR2/3</b>	Anti-GluR2/3 Antibody	<b>Rat</b> , Chicken, Human, Mouse, Zebrafish	WB
<b>24372</b>	Anti-GLUT10 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>600-GAPDH</b>	Anti-Glyceraldehyde 3-Phosphate Dehydrogenase Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>700-GLY</b>	Anti-Glycine Receptor Antibody 	<b>Human, Mouse, Rat</b>	WB, IHC
<b>p1175-9</b>	Anti-Glycogen synthase kinase 3 B (GSK3B) (Ser9) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus, Zebrafish	WB
<b>GM3421*</b>	Anti-GM130 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>GM3311*</b>	Anti-Grb2 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>642-GRASP</b>	Anti-GRIP1 Associated Protein 1 (GRASP1) Antibody 	<b>Mouse, Rat</b> , Bovine, Canine, Human	WB
<b>GM1321</b>	Anti-GSK-3α/β (Tyr-279/Tyr-216), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>GM1311</b>	Anti-GSK-3β (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>24205</b>	Anti-HAP40 Antibody	<b>Mouse</b>	WB
<b>24105</b>	Anti-HBV PreS2 Antibody	<b>Human Hepatitis B Virus</b>	WB
<b>24113</b>	Anti-HCV C1 Antibody	<b>Human HCV</b>	WB
<b>24114</b>	Anti-HCV Core Protein Antibody	<b>Human HCV</b>	WB
<b>24289</b>	Anti-HDAC10 Antibody	<b>Human</b>	WB
<b>p1180-394</b>	Anti-HDAC2 (Ser394) Antibody 	<b>Mouse, Rat</b> , Bovine, Chicken, Guinea Pig, Human, Non-Human Primate, Sheep	WB
<b>24101</b>	Anti-Hepatitis E Virus Antibody	<b>Human Hepatitis E Virus</b>	WB
<b>24100</b>	Anti-Hepatitis G Virus Antibody	<b>Human Hepatitis G Virus</b>	WB
<b>24109</b>	Anti-HERV Antibody	<b>Human Endogenous Retrovirus (HERV)</b>	WB
<b>HP4291</b>	Anti-Histone H2B (C-terminus) Antibody	<b>Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>HP4311</b>	Anti-Histone H2B (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>HP4331</b>	Anti-Histone H2B (Ser-36), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>HP551</b>	Anti-Histone H4 (Tyr-72), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>24166</b>	Anti-HLM Antibody	<b>Human</b>	WB
<b>HM4381*</b>	Anti-Hsp60 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>750-HSP60*</b>	Anti-Hsp60 Antibody	<b>Human, Mouse, Rat, Bovine, Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Zebrafish</b>	WB, IHC, ICC
<b>p1182-153</b>	Anti-Hsp70 (Ser153) Antibody 	<b>Human</b>	WB
<b>24358</b>	Anti-Humanin Antibody	<b>Human</b>	WB
<b>24164</b>	Anti-IKAP (C-terminal) Antibody	<b>Human</b>	WB
<b>24163</b>	Anti-IKAP (N-terminal) Antibody	<b>Human</b>	WB
<b>24162</b>	Anti-IKKy (C-terminal) Antibody	<b>Human</b>	WB
<b>24161</b>	Anti-IKKy (N-terminal) Antibody	<b>Human</b>	WB
<b>24670</b>	Anti-Influenza A [H1N1] Antibody	<b>Human Influenza A [H1N1] virus</b>	WB
<b>NM3981*</b>	Anti-iNOS (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>NP2131*</b>	Anti-iNOS (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>NP4091</b>	Anti-iNOS (Tyr-1055) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p168-1160</b>	Anti-Insulin Receptor (Thr1160) Antibody 	<b>Human, Bovine, Canine, Non-Human Primate, Mouse, Rat, Xenopus</b>	WB
<b>IM5941*</b>	Anti-Integrin αL (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>IM0041</b>	Anti-Integrin β1 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>IM0061</b>	Anti-Integrin β1 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>IM0321</b>	Anti-Integrin β1 (Extracellular region) Antibody	<b>Human</b>	WB, ICC
<b>IM0411</b>	Anti-Integrin β1 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>IM5811*</b>	Anti-Integrin β3 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>IM1261</b>	Anti-Integrin β4 (Cytoplasmic region) Antibody	<b>Human</b>	WB, ICC








CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>IP1281</b>	Anti-Integrin β4 (Tyr-1494), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>IP1291</b>	Anti-Integrin β4 (Tyr-1526), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p170-5359</b>	Anti-Interferon-α Receptor, Type I, Subunit I (Ser535,539) Antibody 	<b>Human, Bovine, Canine, Non-Human Primate, Mouse, Rat, Sheep</b>	WB
<b>100-AIN</b>	Anti-α Internexin / NF-66 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>101-AIN*</b>	Anti-α Internexin / NF-66 Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>pIRE1-724</b>	Anti-IRE1 (Ser724) Antibody 	<b>Mouse, Human</b>	WB
<b>IP1861*</b>	Anti-IkBa (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>IM3741*</b>	Anti-IkBa (Ser-32/Ser-36), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, IP
<b>IP1041</b>	Anti-IkBa (Tyr-305), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>IP1031</b>	Anti-IkBa (Tyr-42), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, IP
<b>JP3991</b>	Anti-JMY (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>JM2681*</b>	Anti-JNK (Thr-183/Tyr-185), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>JM2671*</b>	Anti-JNK1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>1006-Ki67*</b>	Anti-Ki-67 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1007-Ki67</b>	Anti-Ki-67 Antibody	<b>Human</b>	WB, IHC, ICC
<b>24234</b>	Anti-KLK-L1 (KLK4) Antibody	<b>Human</b>	WB
<b>24238</b>	Anti-KLK-L2 (KLK5) Antibody	<b>Human</b>	WB
<b>24236</b>	Anti-KLK-L3 (KLK9) Antibody	<b>Human</b>	WB
<b>24239</b>	Anti-KLK-L4 (KLK13) Antibody	<b>Human</b>	WB
<b>24212</b>	Anti-KLK15 Antibody	<b>Human</b>	WB
<b>24367</b>	Anti-Ku80 Antibody	<b>Hamster, Human, Mouse, Rat</b>	WB
<b>24368</b>	Anti-Ku80 Antibody	<b>Hamster, Human, Mouse, Rat</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>LM0231</b>	Anti-L1CAM (Extracellular) Antibody	<b>Human</b>	WB, ICC, IP
<b>1027-LAM*</b>	Anti-Lamin A/C Antibody	<b>Human</b>	WB, IHC, ICC
<b>LM0461</b>	Anti-Laminin β2/γ1 Subunits Antibody	<b>Human</b>	WB(Nat), ICC
<b>1030-LAMP1*</b>	Anti-LAMP1 Antibody	<b>Human</b>	WB, IHC, ICC
<b>LP4531</b>	Anti-Leupaxin (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>LP1831</b>	Anti-LIMK1 (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>LP2431</b>	Anti-LIMK1 (Ser-323) [LIMK2 (Ser-314)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>LP1891</b>	Anti-LIMK1 (Thr-508) [LIMK2 (Thr-505)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24521</b>	Anti-LRRK2 Antibody	<b>Human</b>	WB
<b>24522</b>	Anti-LRRK2 Antibody	<b>Human</b>	WB
<b>24391</b>	Anti-Ly-6k Antibody	<b>Human</b>	WB
<b>24271</b>	Anti-MAP1 Antibody	<b>Human</b>	WB
<b>p1185-1526</b>	Anti-MARCKS (Ser152,156) Antibody 	<b>Mouse, Rat, Bovine, Chicken, Human, Xenopus, Zebrafish</b>	WB
<b>1107-MARCKS</b>	Anti-MARCKS Antibody	<b>Human, Non-Human Primate</b>	WB, IHC, ICC
<b>1203-mCherry*</b>	Anti-mCherry Antibody		WB, IHC, ICC
<b>24124</b>	Anti-MCT1 Antibody	<b>Human</b>	WB
<b>DP4471</b>	Anti-mDia1 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>DP3491</b>	Anti-mDia2 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>DP4481</b>	Anti-mDia2 (Thr-1061), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>DP4511</b>	Anti-mDia3 (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>DP4521</b>	Anti-mDia3 (Ser-196) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>MP4591</b>	Anti-MeCP2 (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>MP4611</b>	Anti-MeCP2 (Ser-421), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>MP4601</b>	Anti-MeCP2 (Ser-80), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>p1205-421</b>	Anti-MeCP2 (Ser421) Antibody 	<b>Mouse, Rat, Human, Non-Human Primate</b>	WB
<b>p1205-80</b>	Anti-MeCP2 (Ser80) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>1205-MeCP2*</b>	Anti-MeCP2 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1207-MeCP2</b>	Anti-MeCP2 Antibody	<b>Human, Mouse, Non-Human Primate, Rat</b>	WB, IHC
<b>p1208-222</b>	Anti-MEF2C (Ser222) Antibody 	<b>Human, Bovine, Chicken, Guinea Pig, Non-Human Primate, Mouse, Rat, Sheep</b>	WB
<b>p180-292</b>	Anti-MEK1 (Thr292) Antibody 	<b>Human, Mouse, Bovine, Canine, Non-Human Primate, Rat</b>	WB
<b>p180-386</b>	Anti-MEK1 (Thr386) Antibody 	<b>Human, Rat, Bovine, Canine, Chicken, Non-Human Primate, Mouse, Xenopus</b>	WB
<b>p180-21822</b>	Anti-MEK1/2 (Ser218,222) Antibody 	<b>Mouse, Human, Bovine, Canine, Chicken, Non-Human Primate, Rat, Xenopus, Zebrafish</b>	WB
<b>p183-3115</b>	Anti-MEK5 (Ser311, Thr315) Antibody 	<b>Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Mouse, Xenopus, Zebrafish</b>	WB
<b>MP3721</b>	Anti-Memo (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>p186-749</b>	Anti-MerTK (Tyr749/753/754) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Chicken, Finch, Guinea Pig, Non-Human Primate</b>	WB
<b>2031-mGluR1a</b>	Anti-Metabotropic Glutamate Receptor 1a Antibody 	<b>Mouse, Rat</b>	WB, IHC
<b>2032-mGluR5/1</b>	Anti-Metabotropic Glutamate Receptor 5/1a Antibody 	<b>Mouse, Rat, Human</b>	WB, IHC
<b>p1230-862</b>	Anti-Metabotropic Glutamate Receptor 7 (Ser862) Antibody	<b>Mouse, Rat, Bovine, Canine, Human, Non-Human Primate, Zebrafish</b>	WB
<b>36885</b>	Anti-mGluR1α Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>24516</b>	Anti-mGluR2/3 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>1098-MAP2*</b>	Anti-Microtubule Associated Protein 2 (MAP2) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1099-MAP2*</b>	Anti-Microtubule Associated Protein 2 (MAP2) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1100-MAP2*</b>	Anti-Microtubule Associated Protein 2 (MAP2) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1101-MAP2C*</b>	Anti-Microtubule Associated Protein 2 C/D (MAP2C/D) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC



CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>1155-MIT*</b>	Anti-Mitochondria Antibody	<b>Human</b>	WB, IHC, ICC
<b>1157-MFF</b>	Anti-Mitochondrial Fission Factor (Mff) Antibody	<b>Bovine, Human, Mouse</b>	WB, ICC
<b>MM0271</b>	Anti-Mitofilin Antibody	<b>Human</b>	WB, ICC, IP
<b>24194</b>	Anti-MMP9 Antibody	<b>Human</b>	WB
<b>1180-Mnk2a</b>	Anti-Mnk2a Antibody 	<b>Human, Non-Human Primate</b>	WB
<b>1181-Mnk2b</b>	Anti-Mnk2b Antibody 	<b>Human, Non-Human Primate</b>	WB
<b>24554</b>	Anti-Mu Opioid Receptor Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24175</b>	Anti-MUC12 Antibody	<b>Human</b>	WB
<b>24176</b>	Anti-MUC12 Antibody	<b>Human</b>	WB
<b>p1305-515</b>	Anti-Munc-18 (Ser 513) Antibody 	<b>Rat, Bovine, Canine, Chicken, Human, Mouse, Non-Human Primate, Xenopus</b>	WB, ICC
<b>p1305-241</b>	Anti-Munc18-1 (Ser241) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Sheep</b>	WB, IHC
<b>MM3161</b>	Anti-MurF1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>MP3401</b>	Anti-MurF1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>24517</b>	Anti-Musashi 1 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1120-MBP*</b>	Anti-Myelin Basic Protein (MBP) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>37133</b>	Anti-Myelin Basic Protein Antibody	<b>Human, Mouse, Rat</b>	WB
<b>MP4561</b>	Anti-Myosin 13/Extraocular Myosin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>MP4571</b>	Anti-Myosin 13/Extraocular Myosin (Hinge region) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>MP4541</b>	Anti-Myosin 4/MyHC-IIb (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>MP4551</b>	Anti-Myosin 7B/MHC14 (Hinge region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>MP3791</b>	Anti-Myosin IIA Heavy Chain (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>MP5181</b>	Anti-Myosin IIA Heavy Chain (Ser-1803), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>MP5191</b>	Anti-Myosin IIA Heavy Chain (Ser-1916), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>MP3831</b>	Anti-Myosin IIA Heavy Chain (Ser-1943), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>MP4201</b>	Anti-Myosin Light Chain (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>MP3461</b>	Anti-Myosin Light Chain (Ser-1), Phosphospecific Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, ICC
<b>MP4221</b>	Anti-Myosin Light Chain (Ser-19), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>CP1751</b>	Anti-N-Cadherin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>CP1901</b>	Anti-N-Cadherin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM1701*</b>	Anti-N-Cadherin (Cytoplasmic) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>CP1801</b>	Anti-N-Cadherin (Tyr-820), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP1951</b>	Anti-N-Cadherin (Y860) [E-Cadherin (Y835)], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP2201</b>	Anti-N-WASP (Ser-484/Ser-485), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP2601</b>	Anti-N-WASP (Tyr-256), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP2001</b>	Anti-N-WASP Antibody	<b>Human, Mouse, Rat</b>	WB
<b>WP2401</b>	Anti-N-WASP Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>NM0161</b>	Anti-Na <sup>+</sup> /K <sup>+</sup> ATPase β3 (Extracellular) Antibody	<b>Human</b>	WB, ICC, IP
<b>NM0251</b>	Anti-Na <sup>+</sup> /K <sup>+</sup> ATPase β3 (Extracellular) Antibody	<b>Human</b>	WB, ICC, IP
<b>24398</b>	Anti-NABC1 Antibody	<b>Human</b>	WB
<b>37134</b>	Anti-Nanog Antibody	<b>Human</b>	WB
<b>p1311-53</b>	Anti-NCC (Thiazide sensitive NaCl cotransporter) (Thr53) Antibody 	<b>Human, Mouse, Rat, Guinea Pig, Hamster</b>	WB, IHC
<b>24304</b>	Anti-NEI3 (NEIL3) Antibody	<b>Human</b>	WB
<b>1435-NES*</b>	Anti-Nestin Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>24549</b>	Anti-Nestin Antibody	<b>Human, Mouse</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>1450-NFH*</b>	Anti-Neurofilament NF-H Antibody	<b>All Known Mammal, Chicken</b>	WB, IHC, ICC
<b>1451-NFH*</b>	Anti-Neurofilament NF-H Antibody	<b>All Known Mammal, Chicken</b>	WB, IHC, ICC
<b>1452-NFL*</b>	Anti-Neurofilament NF-L Antibody	<b>Bovine, Chicken, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1453-NFL*</b>	Anti-Neurofilament NF-L Antibody	<b>Bovine, Chicken, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1454-NFM*</b>	Anti-Neurofilament NF-M Antibody	<b>Bovine, Chicken, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1455-NFM*</b>	Anti-Neurofilament NF-M Antibody	<b>Bovine, Chicken, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>NM5341</b>	Anti-Neurofilin-1 (a1 CUB Domain) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>NP2111</b>	Anti-Neurofilin-1 (a1 CUB Domain) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>p1350-316</b>	Anti-NF-kB p65 (Ser316) Antibody 	<b>Human, Mouse, Bovine, Canine, Goat, Guinea Pig, Rat</b>	WB
<b>1360-NG2</b>	Anti-NG2/CSPG4 Antibody 	<b>Human, Mouse, Rat</b>	WB, IHC
<b>1470-nACB2*</b>	Anti-Nicotinic Acetylcholine Receptor (nAChR) B2 Antibody 	<b>Mouse, Rat</b>	WB
<b>1471-nACB4*</b>	Anti-Nicotinic Acetylcholine Receptor (nAChR) B4 Antibody 	<b>Mouse, Rat</b>	WB
<b>24174</b>	Anti-NKIAMRE (C-terminus) Antibody	<b>Human</b>	WB
<b>24173</b>	Anti-NKIAMRE (N-terminus) Antibody	<b>Human</b>	WB
<b>NP5411</b>	Anti-NLRC4 (Ser-533), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>NM5491</b>	Anti-NLRC4 (Ser-533), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>NP5381</b>	Anti-NLRC4 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1508-NR1*</b>	Anti-NMDA NR1 Subunit Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1505-C1</b>	Anti-NMDA NR1 Subunit, Splice Variant C1 Antibody 	<b>Mouse, Rat, Bovine, Canine, Human, Non-Human Primate</b>	WB, IHC
<b>1506-C2</b>	Anti-NMDA NR1 Subunit, Splice Variant C2 Antibody 	<b>Mouse, Rat, Human</b>	WB, IHC
<b>1507-C2</b>	Anti-NMDA NR1 Subunit, Splice Variant C2' Antibody 	<b>Mouse, Rat, Bovine, Human</b>	WB, IHC
<b>1504-N1</b>	Anti-NMDA NR1 Subunit, Splice Variant N1 Antibody 	<b>Mouse, Rat, Canine, Chicken, Human, Non-Human Primate, Xenopus</b>	WB, IHC


CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>1495-NR2A</b>	Anti-NMDA NR2A Subunit (100 ul) Antibody 	<b>Human, Mouse, Rabbit, Rat</b>	WB, IHC, IP
<b>p1514-1325</b>	Anti-NMDA NR2A Subunit (Tyr1325) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Hamster, Sheep</b>	WB
<b>1500-NR2A</b>	Anti-NMDA NR2A Subunit Antibody 	<b>Human, Mouse, Rat</b>	WB, IHC, IP
<b>1497-NR2A</b>	Anti-NMDA NR2A Subunit Antibody 	<b>Human, Mouse, Rabbit, Rat</b>	WB
<b>1501-NR2A</b>	Anti-NMDA NR2A Subunit, N-terminus Antibody 	<b>Mouse, Rat, Bovine, Canine</b>	WB, ICC
<b>p1516-1166</b>	Anti-NMDA NR2B Subunit (Ser1166) Antibody 	<b>Mouse, Rat, Canine, Human, Non-Human Primate, Xenopus</b>	WB
<b>p1516-1480</b>	Anti-NMDA NR2B Subunit (Ser1480) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Xenopus</b>	WB
<b>p1516-1252</b>	Anti-NMDA NR2B Subunit (Tyr1252) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Zebrafish</b>	WB, IHC
<b>p1516-1336</b>	Anti-NMDA NR2B Subunit (Tyr1336) Antibody 	<b>Mouse, Rat, Human, Non-Human Primate</b>	WB, IHC
<b>p1516-1472</b>	Anti-NMDA NR2B Subunit (Tyr1472) Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Zebrafish</b>	WB
<b>1499-NR2B</b>	Anti-NMDA NR2B Subunit Antibody 	<b>Human, Mouse, Rat</b>	WB, IHC, IP
<b>1496-NR2B</b>	Anti-NMDA NR2B Subunit Antibody 	<b>Human, Mouse, Rat</b>	WB, IHC, IP
<b>1498-NR2B</b>	Anti-NMDA NR2B Subunit Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>1503-NR2B</b>	Anti-NMDA NR2B Subunit, N-terminus Antibody 	<b>Mouse, Rat, Bovine, Canine, Chicken, Human, Non-Human Primate</b>	WB, IHC, ICC
<b>p1518-1096</b>	Anti-NMDA NR2C Subunit (Ser1096) Antibody 	<b>Mouse, Rat, Bovine, Canine, Human, Non-Human Primate</b>	WB
<b>p1518-1244</b>	Anti-NMDA NR2C Subunit (Ser1244) Antibody 	<b>Mouse, Rat, Bovine, Canine, Human, Non-Human Primate</b>	WB
<b>1502-NR2C</b>	Anti-NMDA NR2C Subunit Antibody 	<b>Human, Mouse, Rat</b>	WB, IP
<b>NM4011*</b>	Anti-nNOS (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>NP2141*</b>	Anti-nNOS (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>24121</b>	Anti-nNOS Antibody	<b>Human</b>	WB
<b>36875</b>	Anti-Noggin Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24514</b>	Anti-Nop30 Antibody	<b>Human</b>	WB





CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>65100</b>	Anti-Notch 2 Homolog Antibody	<b>Human</b>	WB
<b>65101</b>	Anti-Notch 3 Homolog Antibody	<b>Human</b>	WB, IHC
<b>24224</b>	Anti-NPFF1 Antibody	<b>Human</b>	WB
<b>24225</b>	Anti-NPFF2 Antibody	<b>Human</b>	WB
<b>1520-NSE*</b>	Anti-NSE (Neuron specific enolase) Antibody	<b>Bovine, Chicken, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>24351</b>	Anti-NSE2 Antibody	<b>Human</b>	WB
<b>1525-NSF</b>	Anti-NSF (N-ethylmaleimide sensitive fusion protein) Antibody 	<b>Rat, Human, Non-Human Primate</b>	WB
<b>SP4061</b>	Anti-nSMase2 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>SP0281</b>	Anti-nSMase3 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>1515-NPC*</b>	Anti-Nuclear Pore Complex Antibody	<b>Bovine, Chicken, Drosophila, Human, Mouse, Rat</b>	ICC
<b>1590-NUC</b>	Anti-Nuclei Antibody	<b>Human</b>	IHC, ICC
<b>NM4361*</b>	Anti-Nucleoporin p62 (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>24523</b>	Anti-Nurr1 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1537-Olig1</b>	Anti-Olig1 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC, IP
<b>p1540-1013</b>	Anti-Olig2 (Ser10/13/14) Antibody 	<b>Mouse, Rat, Guinea Pig, Human, Non-Human Primate, Zebrafish</b>	WB
<b>1538-Olig2*</b>	Anti-Olig2 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC, IP
<b>24538</b>	Anti-δ-Opioid Receptor Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24550</b>	Anti-δ-Opioid Receptor Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24541</b>	Anti-κ-Opioid Receptor Antibody	<b>Human</b>	WB
<b>OM5741</b>	Anti-Osteopontin (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CM5961*</b>	Anti-P-Cadherin (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PM1441*</b>	Anti-p130 Cas (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IHC, IP








CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>PP1581</b>	Anti-p130 Cas (Tyr-751), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>PP1451</b>	Anti-p130 Cas (Tyr-762), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CM5131*</b>	Anti-p21/CIP1/WAF1 Antibody	<b>Human</b>	WB, ICC, IHC, IP
<b>36884</b>	Anti-P2Y Purinoceptor 2 (P2Y2) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>PM1391</b>	Anti-p38 MAP Kinase (Thr-180/Tyr-182), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p190-1802</b>	Anti-p38 MAPK (Thr180/Tyr182) Antibody 	<b>Human, Mouse, Bovine, Canine, Chicken, Non-Human Primate, Rat, Zebrafish</b>	WB, IHC
<b>PP3501</b>	Anti-p38α MAP Kinase (C-terminal) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>PM5481</b>	Anti-p38α MAP Kinase (C-terminal) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PM1381</b>	Anti-p38α MAP Kinase (C-terminal) M138 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP3411</b>	Anti-p38α MAP Kinase (Tyr-323), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>p195-392</b>	Anti-p53 (Ser392) Antibody 	<b>Human, Rat</b>	WB
<b>p196-28</b>	Anti-p62 (Ser28) Antibody 	<b>Human, Non-Human Primate</b>	WB
<b>p196-269</b>	Anti-p62 (Thr269, Ser272) Antibody 	<b>Human, Non-Human Primate</b>	WB
<b>p1705-398</b>	Anti-p70 S6 Kinase (Ser398) Antibody 	<b>Drosophila</b>	WB
<b>p187-84</b>	Anti-PAK-1 (Thr84) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Chicken, Guinea Pig, Non-Human Primate, Sheep, Zebrafish</b>	WB
<b>p187-402</b>	Anti-PAK-1,2,3 (Thr402) Antibody 	<b>Mouse, Rat, Bovine, Canine, Human</b>	WB
<b>PP1511</b>	Anti-PAK6 (N-terminal region) Antibody	<b>Human</b>	WB
<b>PP1551</b>	Anti-PAK6 (Ser-165), Phosphospecific Antibody	<b>Human</b>	WB
<b>p188-63</b>	Anti-PanK4 (Thr63) Antibody 	<b>Mouse, Hamster, Rat</b>	WB
<b>24314</b>	Anti-PAPK Antibody	<b>Mouse</b>	WB
<b>24217</b>	Anti-PAR4 Antibody	<b>Human</b>	WB
<b>1597-Park7*</b>	Anti-Park7 (DJ-1) Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC






CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>24369</b>	Anti-PARK7 Antibody	<b>Human, Mouse</b>	WB, IHC
<b>p197-101</b>	Anti-Parkin (Ser101) Antibody 	<b>Human, Bovine, Non-Human Primate</b>	WB
<b>p197-378</b>	Anti-Parkin (Ser378) Antibody 	<b>Human, Bovine, Non-Human Primate</b>	WB
<b>24552</b>	Anti-Parkin Antibody	<b>Human</b>	WB
<b>24280</b>	Anti-PARP2 Antibody	<b>Human</b>	WB
<b>PP1161</b>	Anti-Paxillin (C-terminal) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>PP1051</b>	Anti-Paxillin (Ser-178), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>PP1341</b>	Anti-Paxillin (Ser-83), Phosphospecific Antibody	<b>Rat, Mouse</b>	WB, ICC
<b>PP4491</b>	Anti-Paxillin (Thr-538), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>PP4501</b>	Anti-Paxillin (Tyr-118), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>PM1021</b>	Anti-Paxillin (Tyr-31), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>PM1071*</b>	Anti-Paxillin Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IP
<b>PM0511</b>	Anti-PD-L1 (Extracellular region) M051 Antibody	<b>Human</b>	WB, ICC, IP
<b>PM0801</b>	Anti-PD-L1 (Extracellular region) M080 Antibody	<b>Human</b>	WB, ICC, IP
<b>PM1461*</b>	Anti-PDK1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP1411</b>	Anti-PDK1 (N-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP3891*</b>	Anti-PDK1 (Ser-241), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>PP1431</b>	Anti-PDK1 (Tyr-9), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>1600-PEBP*</b>	Anti-PEBP (phosphatidylethanolamine binding protein) Antibody	<b>Rat</b>	WB
<b>1621-PERI*</b>	Anti-Periostin C-terminal Antibody	<b>Chicken, Human, Mouse, Rat, Bovine, Canine, Feline, Finch, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole</b>	WB, IHC
<b>1622-PERI*</b>	Anti-Periostin pan Antibody	<b>Chicken, Human, Mouse, Rat, Bovine, Canine, Feline, Finch, Fish, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole, Xenopus, Zebrafish</b>	WB, IHC
<b>1630-PER</b>	Anti-Peripherin Antibody	<b>Mouse, Rat</b>	WB, IHC, ICC



CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>1631-PER*</b>	Anti-Peripherin Antibody	<b>Bovine, Human, Mouse, Rat, Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep</b>	WB, IHC, ICC
<b>24284</b>	Anti-PERP Antibody	<b>Human</b>	WB
<b>24120</b>	Anti-PHF2 Antibody	<b>Human</b>	WB
<b>1640-PLC</b>	Anti-Phospholipase C B2 (PLC-B2) Antibody 	<b>Human, Non-Human Primate</b>	IHC
<b>PM3801</b>	Anti-Phosphoserine/threonine Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>PP2551</b>	Anti-Phosphoserine/threonine Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>PP4641</b>	Anti-Phosphothreonine Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>PM3751*</b>	Anti-Phosphotyrosine Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IP
<b>PP2221</b>	Anti-Phosphotyrosine Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IP
<b>PM2531*</b>	Anti-PI3 Kinase, p85 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>24515</b>	Anti-Pink1 Antibody	<b>Human</b>	WB
<b>PM4991</b>	Anti-PKC (α,β,γ) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>PM2371*</b>	Anti-PKCα (Central region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>PP1091</b>	Anti-PKCα (Ser-657/Tyr-658), Phosphospecific Antibody	<b>Human, Rabbit, Rat</b>	WB, ICC, IP
<b>PM2421*</b>	Anti-PKCδ (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PM2171*</b>	Anti-PKCθ (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PM1561*</b>	Anti-PLCγ1 (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IP
<b>PP1491</b>	Anti-PLCγ1 (Tyr-775), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>PP1301</b>	Anti-Plexin A1 (Sema Domain) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>PM5351</b>	Anti-Plexin A1 (Sema Domain) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>PP1471</b>	Anti-Plexin A1 (Sema Domain) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP1841</b>	Anti-Plexin B1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>PP4441</b>	Anti-Plexin D1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>PP4401</b>	Anti-Plexin D1 (Cytoplasmic domain) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>PP4421</b>	Anti-Plexin D1 (Sema Domain) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p202-210</b>	Anti-Polo-Like Kinase (Thr210) Antibody 	<b>Human, Rat, Bovine, Canine, Non-Human Primate, Mouse, Xenopus, Zebrafish</b>	WB
<b>p200-48260</b>	Anti-Polo-Like Kinase Kinase (Ser482,486,490) Antibody	<b>Rat, Xenopus, Human, Mouse, Zebrafish</b>	WB
<b>1002-KV22</b>	Anti-Potassium Channel, Voltage Gated, Kv2.2 Subunit Antibody 	<b>Rat, Xenopus</b>	WB, IHC
<b>p1550-503</b>	Anti-Potassium Channel, Voltage-Gated, Kv3.1 Subunit (Ser503) Antibody 	<b>Hamster, Mouse, Rat</b>	WB, IHC, ICC
<b>p1551-940</b>	Anti-Potassium Chloride Cotransporter (KCC2) (Ser940) Antibody 	<b>Mouse, Rat, Bovine, Canine, Non-Human Primate, Zebrafish</b>	WB, IP
<b>p1551-1007</b>	Anti-Potassium Chloride Cotransporter (KCC2) (Thr1007) Antibody 	<b>Mouse, Rat, Bovine, Human, Non-Human Primate, Sheep</b>	WB
<b>24260</b>	Anti-PRAC Antibody	<b>Human</b>	WB
<b>p204-356</b>	Anti-PRAS40 (Thr356) Antibody 	<b>Drosophila</b>	WB
<b>2070-VASO</b>	Anti-Pre-Pro-Vasopressin 	<b>Human, Mouse, Rat, Non-Human Primate</b>	WB, IHC, ICC
<b>24345</b>	Anti-PRG3 Antibody	<b>Human</b>	WB
<b>PP3951</b>	Anti-Prion Protein (Ser-43), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>PM3971*</b>	Anti-Prion Protein Antibody	<b>Human</b>	WB, IHC
<b>PP4821</b>	Anti-Profilin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP4801</b>	Anti-Profilin (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP4791</b>	Anti-Profilin (Ser-138), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB,
<b>PP4751</b>	Anti-Profilin (Tyr-129), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p205-190</b>	Anti-Progesterone Receptor (Ser190) Antibody	<b>Human</b>	WB, IHC
<b>p205-294</b>	Anti-Progesterone Receptor (Ser294) Antibody	<b>Human, Non-Human Primate</b>	WB, IHC
<b>24230</b>	Anti-Prostein Antibody	<b>Human</b>	WB





CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>1660-PROSC</b>	Anti-Prosulfactant Protein C Antibody	<b>Mouse, Human</b>	IHC
<b>1685-PROX1</b>	Anti-Prox1 Antibody	<b>Chicken, Human, Mouse, Rat</b>	IHC
<b>1080-PSD95</b>	Anti-PSD-95 Antibody 	<b>Mouse, Rat, Bovine, Human, Non-Human Primate, Zebrafish</b>	WB
<b>24231</b>	Anti-PSDR1 (RDH11) Antibody	<b>Human</b>	WB
<b>24134</b>	Anti-PTCH1 Antibody	<b>Mouse, Chicken, Human, Rat</b>	WB
<b>24135</b>	Anti-PTCH2 Antibody	<b>Human, Mouse</b>	WB
<b>PM2341*</b>	Anti-PTP1B (C-terminal region) Antibody	<b>Human</b>	WB, ICC
<b>PP2351</b>	Anti-PTP1B (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP2411</b>	Anti-PTP1B (Ser-50), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PP2391</b>	Anti-PTP1B (Tyr-152), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p207-459</b>	Anti-PTPH1 (Ser459) Antibody 	<b>Human, Mouse, Bovine, Canine, Non-Human Primate, Sheep</b>	WB
<b>24277</b>	Anti-PUMA Antibody	<b>Human</b>	WB
<b>PM2291*</b>	Anti-PYK2 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>PM2691*</b>	Anti-PYK2 (Tyr-402), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1805-Rab3</b>	Anti-Rab 3 Antibody 	<b>Rat, Human, Mouse, Non-Human Primate, Xenopus</b>	WB
<b>p1553-234</b>	Anti-Rabphilin 3A (Ser234) Antibody 	<b>Rat, Mouse</b>	WB, ICC
<b>1825-RBP</b>	Anti-Rabphilin 3A Antibody 	<b>Rat, Bovine, Canine, Human, Mouse, Non-Human Primate</b>	WB
<b>24131</b>	Anti-RAD17 Antibody	<b>S. pombe</b>	WB
<b>24132</b>	Anti-RAD17 Antibody	<b>Human</b>	WB
<b>p1555-301</b>	Anti-Raf-1 (Ser301) Antibody 	<b>Human, Rat, Bovine, Canine, Chicken, Mouse, Non-Human Primate, Xenopus</b>	WB
<b>p1555-642</b>	Anti-Raf-1 (Ser642) Antibody 	<b>Human, Rat, Bovine, Canine, Chicken, Mouse, Non-Human Primate</b>	WB
<b>24329</b>	Anti-RASSF1 (NORE1) Antibody	<b>Human, Mouse, Rat</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>24359</b>	Anti-Rattin Antibody	<b>Rat</b>	WB
<b>1830-RBPMS*</b>	Anti-RBPMS Antibody	<b>Feline, Guinea Pig, Pig, Human, Mouse, Non-Human Primate, Rabbit, Rat, Tree Shrew, Whale, Zebrafish,</b> Canine, Hamster	WB, IHC, ICC
<b>1832-RBPMS*</b>	Anti-RBPMS Antibody	<b>Guinea Pig, Human, Mouse, Non-Human Primate, Rabbit, Rat,</b> Canine, Hamster	WB, IHC, ICC
<b>RP3941</b>	Anti-RCAN1/Dscr1 (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>RP3961</b>	Anti-RCAN1/Dscr1 (central region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p1610-2325</b>	Anti-REDD1 (Thr23/25) Antibody 	<b>Human, Non-Human Primate</b>	WB
<b>24257</b>	Anti-RELM α Antibody	<b>Mouse</b>	WB
<b>24256</b>	Anti-RELM β Antibody	<b>Mouse</b>	WB
<b>24213</b>	Anti-Resistin Antibody	<b>Human</b>	WB
<b>24214</b>	Anti-Resistin Antibody	<b>Human</b>	WB
<b>24681</b>	Anti-Respiratory Syncytial Virus Antibody	<b>Human Respiratory Syncytial Virus</b>	WB
<b>1340-RXRB</b>	Anti-Retinoic Acid Receptor, β-Isotype Antibody	<b>Human, Rat,</b> Canine, Guinea Pig, Mouse, Non-Human Primate	WB
<b>1330-RXRA</b>	Anti-Retinoic Acid Receptor, α-Isotype Antibody	<b>Human, Mouse, Rat,</b> Bovine, Canine, Guinea Pig	WB
<b>1320-RXRB</b>	Anti-Retinoid X Receptor, β-Isotype Antibody	<b>Mouse, Rat</b>	WB
<b>1310-RXRG</b>	Anti-Retinoid X Receptor, γ-Isotype Antibody	<b>Human, Rat,</b> Bovine, Mouse, Non-Human Primate	WB
<b>24117</b>	Anti-RFLAT1 Antibody	<b>Human, Mouse</b>	WB
<b>24119</b>	Anti-RFX-B Antibody	<b>Human</b>	WB
<b>24262</b>	Anti-RGS8 Antibody	<b>Human</b>	WB
<b>RP1361</b>	Anti-RhoA (Ser-188), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1840-RHO</b>	Anti-Rhodopsin Antibody	<b>Amphibians, Most Mammals</b>	WB, IHC
<b>p1860-244</b>	Anti-Ribosomal protein S6 (Ser244) Antibody 	<b>Human, Mouse,</b> Chicken, Goat, Non-Human Primate, Rat, Xenopus, Zebrafish	WB
<b>1850-RSK2</b>	Anti-Ribosomal S6 kinase 2 Antibody 	<b>Human,</b> Bovine, Canine, Chicken, Mouse, Rat	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>RP2791</b>	Anti-Robo1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>RP2861</b>	Anti-Robo2 (C-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>24181</b>	Anti-RSV A2 Antibody	<b>Human RSV</b>	WB
<b>24104</b>	Anti-RSV Antibody	<b>Human Bovine Respiratory Syncytial Virus</b>	WB
<b>24182</b>	Anti-RSV B1 Antibody	<b>Human RSV</b>	WB
<b>24183</b>	Anti-RSV M2 Protein Antibody	<b>Human RSV</b>	WB
<b>24102</b>	Anti-RSV RSS-2 Antibody	<b>Human Respiratory Syncytial Virus</b>	WB
<b>p1705-449</b>	Anti-S6 Kinase 1 (Thr449) Antibody 	<b>Arabidopsis</b>	WB
<b>24371</b>	Anti-SAP30L Antibody	<b>Human</b>	WB
<b>1900-SAP*</b>	Anti-SAP49 Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>1901-SARM1</b>	Anti-SARM1 Antibody 	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CoV2-2G1</b>	Anti-SARS-CoV-2 S-Protein ACE2 Binding Domain Antibody		WB, ICC
<b>CoV2-5G8</b>	Anti-SARS-CoV-2 S-Protein ACE2 Binding Domain Antibody		WB, ICC
<b>CoV2-RBT</b>	Anti-SARS-CoV-2 S-Protein ACE2 Binding Domain Antibody		WB, ICC
<b>SP3841</b>	Anti-SCAI (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>SP1241</b>	Anti-Semaphorin-3A (C-terminal) Antibody	<b>Human</b>	WB
<b>SM3171</b>	Anti-Semaphorin-3A (Central region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SP1221</b>	Anti-Semaphorin-3A (Central region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>SP1401</b>	Anti-Semaphorin-3A (N-terminal) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>SP4461</b>	Anti-Semaphorin-3E (N-terminal region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>SP3921</b>	Anti-Semaphorin-3F (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM1881*</b>	Anti-Semaphorin-4D (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC





CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>SP5361</b>	Anti-Semaphorin-6A (C-terminus) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC, IP
<b>SP5371</b>	Anti-Semaphorin-6A (cytoplasmic region) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC, IP
<b>p1700-276</b>	Anti-Serotonin Transporter (Thr276) Antibody 	<b>Mouse, Rat, Bovine, Human, Non-Human Primate, Sheep, Xenopus</b>	WB
<b>24285</b>	Anti-SERPINB12 Antibody	<b>Human</b>	WB
<b>24286</b>	Anti-SERPINB13 Antibody	<b>Human</b>	WB
<b>24138</b>	Anti-SFRP5 Antibody	<b>Human</b>	WB
<b>SM3691</b>	Anti-Shank1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24180</b>	Anti-SHANK1a (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24179</b>	Anti-SHANK1a (N-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SP1331*</b>	Anti-ShcA Antibody	<b>Human, Mouse, Rabbit, Rat</b>	WB, ICC
<b>SM1601*</b>	Anti-SHP1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>SP1531</b>	Anti-SHP1 (Ser-591), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SP1571</b>	Anti-SHP1 (Tyr-536), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM1631*</b>	Anti-SHP2 (N-terminal region) Antibody	<b>Human, Mouse, and Rat</b>	WB
<b>SP1711</b>	Anti-Slingshot-1L (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>SP3901</b>	Anti-Slingshot-1L (Ser-978), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>SP4901*</b>	Anti-SMAD7 (N-terminal region) Antibody	<b>Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>p1558-187</b>	Anti-SNAP25 (Ser187) Antibody 	<b>Mouse, Rat, Guinea Pig, Human, Non-Human Primate, Zebrafish</b>	WB
<b>1905-SNAP</b>	Anti-SNAP25 Antibody	<b>Rat, Bovine, Canine, Chicken, Guinea Pig, Human, Non-Human Primate, Mouse, Zebrafish</b>	WB
<b>SP5531</b>	Anti-SOX2 (Lys-119), methyl-specific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>SP5521</b>	Anti-SOX2 (Thr-118), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>SP0381</b>	Anti-SOX2 (Thr-128), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC




CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>1907-SOX2</b>	Anti-SOX2 Antibody	<b>Mouse, Human</b>	WB, ICC
<b>SM5511*</b>	Anti-SOX2 Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>98-A2SM*</b>	Anti- $\alpha$ II Spectrin Antibody	<b>Bovine, Human, Mouse, Rat</b>	WB, IHC, ICC
<b>99-A2SR*</b>	Anti- $\alpha$ II Spectrin Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>SP5601</b>	Anti- $\alpha$ II Spectrin, cleavage-specific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM5401</b>	Anti-Sphingosine Kinase 1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>SP5421</b>	Anti-Sphingosine Kinase 1 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SP1621</b>	Anti-Sphingosine Kinase 1 (Central region) Antibody	<b>Human</b>	WB
<b>SP1641</b>	Anti-Sphingosine Kinase 1 (Ser-225), Phosphospecific Antibody	<b>Human</b>	WB
<b>SM5321</b>	Anti-Sphingosine Kinase 2 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SP4621</b>	Anti-Sphingosine Kinase 2 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>SP4631</b>	Anti-Sphingosine Kinase 2 (Thr-578), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1505-STAR</b>	Anti-Stargazin Antibody	<b>Rat, Mouse</b>	WB
<b>SM1351</b>	Anti-Stat1 (Tyr-701), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM2491*</b>	Anti-Stat1 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>SM2631*</b>	Anti-Stat3 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, IP
<b>SM2511*</b>	Anti-Stat5 (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>SM1481</b>	Anti-Stat5 (Tyr-694), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>1904-SMN</b>	Anti-Survival Motor Neuron (SMN) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>24283</b>	Anti-Survivin Antibody	<b>Human, Mouse, Rat</b>	WB
<b>SM3731*</b>	Anti-Syk (Central region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>p1560-549</b>	Anti-Synapsin (Ser549) Antibody 	<b>Mouse, Rat, Bovine, Canine, Human, Non-Human Primate</b>	WB, ICC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p1560-6267</b>	Anti-Synapsin (Ser62,67) Antibody 	<b>Human, Mouse, Rat, Bovine</b>	WB
<b>1926-SYNP</b>	Anti-Synapsin I (100 µL) Antibody 	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>SM3651*</b>	Anti-Synapsin I (C-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p1560-603</b>	Anti-Synapsin I (Ser603) Antibody 	<b>Human, Mouse, Rat, Bovine, Xenopus, Zebrafish</b>	WB
<b>p1560-9</b>	Anti-Synapsin I (Ser9) Antibody 	<b>Mouse, Rat, Zebrafish, Bovine, Human, Xenopus</b>	WB, ICC
<b>1925-SYNP</b>	Anti-Synapsin I Antibody 	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>1927-SYNP</b>	Anti-Synapsin I Antibody 	<b>Human, Mouse, Rat</b>	WB
<b>1933-SYB</b>	Anti-Synaptobrevin (VAMP) Antibody	<b>Bovine, Human, Mouse, Pig, Rat, Rabbit, Hamster</b>	WB, IHC
<b>1936-SYNJ</b>	Anti-Synaptotagmin 1 Antibody	<b>Rat</b>	WB, IHC
<b>1950-SNT2</b>	Anti-Synaptophysin 2 Antibody 	<b>Mouse, Rat</b>	WB, ICC
<b>p1570-309</b>	Anti-Synaptotagmin (Ser309) Antibody 	<b>Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Mouse, Zebrafish</b>	WB, ICC
<b>p1570-202</b>	Anti-Synaptotagmin (Thr202) Antibody 	<b>Rat, Bovine, Canine, Chicken, Human, Non-Human Primate, Mouse, Zebrafish</b>	WB, ICC
<b>1975-STG</b>	Anti-Synaptotagmin 1 Antibody 	<b>Mouse, Rat, Bovine, Chicken, Human, Non-Human Primate</b>	WB
<b>SM3711*</b>	Anti-Syntaxin (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1990-STX</b>	Anti-Syntaxin Antibody	<b>Human, Rat, Pig, Hamster</b>	WB, IHC
<b>108-ASYN*</b>	Anti-α-Synuclein Antibody	<b>Bovine, Human, Mouse, Pig, Rat</b>	WB, IHC, ICC
<b>p1571-129</b>	Anti-α-Synuclein (Ser129) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Non-Human Primate</b>	WB, IHC
<b>TM4081*</b>	Anti-Talin (Rod domain) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC, IP
<b>TP4171</b>	Anti-Talin (Ser-425), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB, ICC
<b>p275-181</b>	Anti-TAO2 (Ser181) Antibody 	<b>Human, Mouse, Rat, Canine, Chicken, Finch, Xenopus, Zebrafish</b>	WB
<b>p1573-416</b>	Anti-Tau (Ser416) Antibody 	<b>Human, Mouse, Rat, Bovine, Canine, Non-Human Primate</b>	WB, IHC
<b>1998-TAU*</b>	Anti-Tau Antibody	<b>Bovine, Human, Mouse, Pig, Rat</b>	WB, IHC, ICC


CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>24218</b>	Anti-TAZ Antibody	<b>Human, Mouse, Rat</b>	WB
<b>2000-TDP*</b>	Anti-TDP43 Antibody 	<b>Human, Rat</b>	WB, IHC, ICC
<b>24378</b>	Anti-TERE1 Antibody	<b>Human</b>	WB
<b>2002-TR2*</b>	Anti-Testicular Receptor 2 (TR2) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>2004-TR4*</b>	Anti-Testicular Receptor 4 (TR4) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24501</b>	Anti-Tet Repressor Antibody	<b>E. coli</b>	WB
<b>1999-hTFAM</b>	Anti-TFAM (Transcription Factor A, mitochondrial) Antibody	<b>Human</b>	WB
<b>2001-TFAM*</b>	Anti-TFAM (Transcription Factor A, mitochondrial) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>2003-TGN38</b>	Anti-TGN38/46 	<b>Mouse, Rat</b>	WB
<b>TP3881</b>	Anti-Themis (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>1240-TRb</b>	Anti-Thyroid Hormone Receptor, β-Isotype Antibody	<b>Human</b>	WB
<b>1210-TRa</b>	Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody	<b>Human, Rat, Canine, Mouse, Non-Human Primate</b>	WB
<b>1220-TRa</b>	Anti-Thyroid Hormone Receptor, α1/α2-Isotype Antibody	<b>Human, Rat, Canine, Mouse, Non-Human Primate</b>	WB
<b>1230-TRa2</b>	Anti-Thyroid Hormone Receptor, α2-Isotype Antibody	<b>Human, Rat, Bovine, Mouse, Non-Human Primate</b>	WB
<b>24296</b>	Anti-TRAIL R2 (DR5) Antibody	<b>Human</b>	WB
<b>24297</b>	Anti-TRAIL R3 Antibody	<b>Human</b>	WB
<b>2006-TREM2</b>	Anti-TREM2 Antibody 	<b>Mouse, Human</b>	WB, ICC
<b>2007-TRKB</b>	Anti-Trk B Antibody	<b>Rat</b>	WB
<b>TM0051</b>	Anti-Trop-2/TACSTD2 (Extracellular region) Antibody	<b>Human</b>	WB, ICC, IP
<b>2010-TNI</b>	Anti-Troponin I (cardiac) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC
<b>p2010-150</b>	Anti-Troponin I (cardiac) Ser150 Antibody 	<b>Human, Mouse, Rat, Non-Human Primate</b>	WB
<b>p2010-2324</b>	Anti-Troponin I (cardiac) Ser23/24 Antibody 	<b>Human, Mouse, Rat, Non-Human Primate</b>	WB

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>p2010-43</b>	Anti-Troponin I (cardiac) Ser43 Antibody 	<b>Human, Mouse, Rat</b> , Bovine, Canine, Non-Human Primate, Sheep, Xenopus, Zebrafish	WB
<b>TP5691</b>	Anti-TRPM7 (cytoplasmic region) Antibody	<b>Human</b>	WB
<b>TM5731</b>	Anti-TRPM7 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>TP5651</b>	Anti-TRPM7 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>TP5661</b>	Anti-TRPM7 (Ser-1493), Phosphospecific Antibody	<b>Human</b>	WB
<b>TP5671</b>	Anti-TRPM7 (Ser-1513), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>TP5681</b>	Anti-TRPM7 (Ser-1569), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>TM5711</b>	Anti-TRPM8 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>TM5721</b>	Anti-TRPM8 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>TP5701</b>	Anti-TRPM8 (Extracellular region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>24282</b>	Anti-TRPM8 Antibody	<b>Human</b>	WB
<b>p1575-19</b>	Anti-Tryptophan Hydroxylase (Ser19) Antibody 	<b>Mouse, Rat</b> , Bovine, Zebrafish	WB
<b>p1575-260</b>	Anti-Tryptophan Hydroxylase (Ser260) Antibody 	<b>Human, Rat</b> , Bovine, Canine, Chicken, Mouse, Zebrafish	WB
<b>p1575-58</b>	Anti-Tryptophan Hydroxylase (Ser58) Antibody 	<b>Mouse, Rabbit</b> , Bovine, Chicken, Human, Non-Human Primate, Rat, Xenopus, Zebrafish	WB
<b>2015-TPH</b>	Anti-Tryptophan Hydroxylase Antibody 	<b>Human, Rat</b> , Bovine, Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Mouse, Non-Human Primate, Sheep, Vole	WB, IHC
<b>TM4111*</b>	Anti-α-Tubulin (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC, IP
<b>TP4281</b>	Anti-α6-Tubulin (central region) Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>TP4131</b>	Anti-α6-Tubulin (Ser-165), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat, Xenopus</b>	WB
<b>TP1781</b>	Anti-β-Tubulin (central region) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>TP1721</b>	Anti-β-Tubulin (Ser-172), Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>TM1541*</b>	Anti-β-Tubulin Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>2020-TUB</b>	Anti-βIII-Tubulin Antibody	<b>Mouse, Rat</b> , Bovine, Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Human, Non-Human Primate, Rabbit, Sheep, Vole	WB, ICC, IHC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>24661</b>	Anti-βIII-Tubulin (Tuj-1) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>TP1691</b>	Anti-βIII-Tubulin (C-terminus) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IHC
<b>TP1811</b>	Anti-βIII-Tubulin Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>p1580-31</b>	Anti-Tyrosine Hydroxylase (Ser31) Antibody 	<b>Human, Mouse, Rat</b> , Non-Human Primate	WB, IHC, ICC
<b>p1580-40</b>	Anti-Tyrosine Hydroxylase (Ser40) Antibody 	<b>Many Mammalian, many Non-Mammalian</b>	WB, IHC, ICC
<b>2025-THRAB</b>	Anti-Tyrosine Hydroxylase Antibody 	<b>All Mammalian</b> , Chicken	WB, IHC, ICC
<b>2026-LNC1</b>	Anti-Tyrosine Hydroxylase Antibody	<b>All Mammalian</b> , Chicken, Drosophila, Finch, Fish, Lizard, Zebrafish	WB, IHC, ICC
<b>2027-THSHP</b>	Anti-Tyrosine Hydroxylase Antibody 	<b>All Mammalian</b> , Chicken	WB, IHC, ICC
<b>2060-UCHL1*</b>	Anti-Ubiquitin C-terminal Hydrolase 1 (UCHL1) Antibody	<b>Bovine, Human, Mouse, Pig, Rat</b> , Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole	WB, IHC, ICC
<b>2061-UCHL1*</b>	Anti-Ubiquitin C-terminal Hydrolase 1 (UCHL1) Antibody	<b>Bovine, Human, Mouse, Pig, Rat</b> , Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole	WB, IHC, ICC
<b>CP1851</b>	Anti-Unphosphorylated N-Cadherin (Tyr-820) Antibody	<b>Human, Mouse, Rat</b>	WB
<b>24360</b>	Anti-URP1 (Kindlin1) Antibody	<b>Bovine, Canine, Human, Mouse, Non-Human Primate, Rat, Xenopus</b>	WB
<b>VM2771*</b>	Anti-VASP (C-terminal region) Antibody	<b>Human</b>	WB, ICC
<b>VP2781</b>	Anti-VASP (Thr-278), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>VP2561</b>	Anti-Vav2 (Tyr-142) [conserved site], Phosphospecific Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>VP2641</b>	Anti-Vav2 (Tyr-172) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>VP2481</b>	Anti-Vav2 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC, IP
<b>VP2521</b>	Anti-Vav2 Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>VP2701</b>	Anti-Vav3 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>CP2231</b>	Anti-VE-Cadherin (C-terminal) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>CP1981</b>	Anti-VE-Cadherin (Tyr-685), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB
<b>VP2921</b>	Anti-VEGFR-2 (Tyr-801) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC

CATALOG #	PRODUCT DESCRIPTION	TESTED/ASSUMED-BASED ON 100% SEQUENCE HOMOLOGY	VALIDATED APPLICATIONS
<b>VP2871</b>	Anti-VEGFR-2 Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>VP2941</b>	Anti-VEGFR-3 (N-terminus) Antibody	<b>Human, Rat</b>	WB
<b>2100-VGAT</b>	Anti-Vesicular GABA transporter (VGAT) Antibody 	<b>Chicken, Mouse, Rat, Xenopus</b> , Bovine, Canine, Non-Human Primate	WB, IHC, ICC
<b>2250-VMAT2C</b>	Anti-Vesicular Monoamine Transporter 2, C-terminus (VMAT2) Antibody 	<b>Human, Rat</b>	WB, IHC
<b>2105-VIM*</b>	Anti-Vimentin Antibody	<b>Human, Mouse, Rat</b> , Bovine, Canine, Feline, Goat, Guinea Pig, Hamster, Horse, Non-Human Primate, Rabbit, Sheep, Vole	WB, IHC, ICC
<b>2106-VIM</b>	Anti-Vimentin Antibody	<b>Human</b>	WB, IHC
<b>2107-VIM*</b>	Anti-Vimentin Antibody	<b>Human, Mouse, Rat</b> , Bovine, Canine, Chicken, Drosophila, Feline, Finch, Fish, Goat, Guinea Pig, Hamster, Horse, Lizard, Non-Human Primate, Rabbit, Sheep, Vole, Xenopus, Zebrafish	WB, IHC, ICC
<b>VM4341*</b>	Anti-Vimentin Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB, ICC
<b>2145-VSNL1*</b>	Anti-Visinin-Like Protein 1 (VSNL1) Antibody	<b>Human, Mouse, Rat</b>	WB, IHC, ICC
<b>24526</b>	Anti-VMAT2 Antibody	<b>Human, Mouse, Rat</b>	WB
<b>WP2101</b>	Anti-WASP / N-WASP Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP1731</b>	Anti-WAVE1 (N-terminal region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP1771</b>	Anti-WAVE1 (Tyr-125), Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP1791</b>	Anti-WAVE2 (Central region) Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP1821</b>	Anti-WAVE2 (Tyr-150) [conserved site], Phosphospecific Antibody	<b>Human, Mouse, Rat</b>	WB, ICC
<b>WP3931</b>	Anti-WWP1 (N-terminus) Antibody	<b>Chicken, Human, Mouse, Rat</b>	WB
<b>p2400-295</b>	Anti-Xin Actin-binding Repeat-containing Protein 1 (XIRP1) (Ser295) Antibody 	<b>Mouse</b> , Canine, Human, Non-Human Primate, Rat	WB
<b>24390</b>	Anti-ZNRF2 Antibody	<b>Human</b>	WB

**CUSTOM ANTIBODIES THAT WORK™**  
**FROM THE LEADERS IN CUSTOM**  
**PHOSPHO-SPECIFIC ANTIBODY PRODUCTION.**



**Look no further.** Our custom antibodies are designed, purified, characterized, and supported by the best in the business.

We will be with you through the entire process of producing and characterizing your antibody.

# CliniSciences Group

## Austria

Company: CliniSciences GmbH  
Address: Sternwartestrasse 76, A-1180  
Wien - Austria  
Telephone: +43 720 115 580  
Fax: +43 720 115 577  
Email: [oesterreich@clinisciences.com](mailto:oesterreich@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Belgium

Company: CliniSciences S.R.L  
Address: Avenue Stalingrad 52, 1000  
Brussels - Belgium  
Telephone: +32 2 31 50 800  
Fax: +32 2 31 50 801  
Email: [belgium@clinisciences.com](mailto:belgium@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Denmark

Company: CliniSciences ApS  
Address: Oesterbrogade 226, st. 1,  
Copenhagen, 2100 - Denmark  
Telephone: +45 89 888 349  
Fax: +45 89 884 064  
Email: [danmark@clinisciences.com](mailto:danmark@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Finland

Company: CliniSciences ApS  
Address: Oesterbrogade 226, st. 1,  
Copenhagen, 2100 - Denmark  
Telephone: +45 89 888 349  
Fax: +45 89 884 064  
Email: [suomi@clinisciences.com](mailto:suomi@clinisciences.com)  
Web: <https://www.clinisciences.com>



## France

Company: CliniSciences S.A.S  
Address: 74 Rue des Suisses, 92000  
Nanterre - France  
Telephone: +33 9 77 40 09 09  
Fax: +33 9 77 40 10 11  
Email: [info@clinisciences.com](mailto:info@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Germany

Company: Biotrend Chemikalien GmbH  
Address: Wilhelm-Mauser-Str. 41-43,  
50827 Köln - Germany  
Telephone: +49 221 9498 320  
Fax: +49 221 9498 325  
Email: [info@biotrend.com](mailto:info@biotrend.com)  
Web: <https://www.biotrend.com>



## Iceland

Company: CliniSciences ApS  
Address: Oesterbrogade 226, st. 1,  
Copenhagen, 2100 - Denmark  
Telephone: +45 89 888 349  
Fax: +45 89 884 064  
Email: [island@clinisciences.com](mailto:island@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Ireland

Company: CliniSciences Limited  
Address: Ground Floor, 71 lower Baggot street  
Dublin D02 P593 - Ireland  
Telephone: +353 1 6971 146  
Fax: +353 1 6971 147  
Email: [ireland@clinisciences.com](mailto:ireland@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Italy

Company: CliniSciences S.r.l  
Address: Via Maremmana inferiore 378  
Roma 00012 Guidonia Montecelio - Italy  
Telephone: +39 06 94 80 56 71  
Fax: +39 06 94 80 00 21  
Email: [italia@clinisciences.com](mailto:italia@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Netherlands

Company: CliniSciences B.V.  
Address: Kraaijenhoffstraat 137A,  
1018RG Amsterdam, Netherlands  
Telephone: +31 85 2082 351  
Fax: +31 85 2082 353  
Email: [nederland@clinisciences.com](mailto:nederland@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Norway

Company: CliniSciences ApS  
Address: Oesterbrogade 226, st. 1,  
Copenhagen, 2100 - Denmark  
Telephone: +45 89 888 349  
Fax: +45 89 884 064  
Email: [norge@clinisciences.com](mailto:norge@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Poland

Company: CliniSciences sp.Z.o.o.  
Address: ul. Rotmistrza Witolda Pileckiego 67  
lok. 200 - 02-781 Warszawa -Poland  
Telephone: +48 22 307 0535  
Fax: +48 22 307 0532  
Email: [polska@clinisciences.com](mailto:polska@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Portugal

Company: Quimigen Unipessoal LDA  
Address: Rua Almada Negreiros, Lote 5, Loja 14,  
2615-275 Alverca Do Ribatejo - Portugal  
Telephone: +351 30 8808 050  
Fax: +351 30 8808 052  
Email: [info@quimigen.com](mailto:info@quimigen.com)  
Web: <https://www.quimigen.pt>



## Spain

Company: CliniSciences Lab Solutions  
Address: C/ Hermanos del Moral 13  
(Bajo E), 28019, Madrid - Spain  
Telephone: +34 91 269 40 65  
Fax: +34 91 269 40 74  
Email: [espana@clinisciences.com](mailto:espana@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Sweden

Company: CliniSciences ApS  
Address: Oesterbrogade 226, st. 1,  
Copenhagen, 2100 - Denmark  
Telephone: +45 89 888 349  
Fax: +45 89 884 064  
Email: [sverige@clinisciences.com](mailto:sverige@clinisciences.com)  
Web: <https://www.clinisciences.com>



## Switzerland

Company: CliniSciences Limited  
Address: Marktgasse 18 8302 Kloten -  
Switzerland  
Telephone: +41 (044) 805 76 81  
Fax: +41 (044) 805 76 75  
Email: [switzerland@clinisciences.com](mailto:switzerland@clinisciences.com)  
Web: <https://www.clinisciences.com>



## UK

Company: CliniSciences Limited  
Address: 11 Progress Business center, Whittle  
Parkway, SL1 6DQ Slough- United Kingdom  
Telephone: +44 (0)1753 866 511  
or +44 (0) 330 684 0982  
Fax: +44 (0)1753 208 899  
Email: [uk@clinisciences.com](mailto:uk@clinisciences.com)  
Web: <https://www.clinisciences.com>



## USA

Company: Biotrend Chemicals LLC  
Address: c/o Carr Riggs Ingram,  
500 Grand Boulevard, Suite 210 Miramar  
Beach, FL 32550- USA  
Telephone: +1 850 650 7790  
Fax: +1 850 650 4383  
Email: [info@biotrend-usa.com](mailto:info@biotrend-usa.com)  
Web: <https://www.biotrend-usa.com>

