ABclonal®

APC Rabbit anti-Human CD33 mAb

Catalog No.: A23590

Basic Information

Observed MW

Calculated MW

40kDa

Category

SMab Recombinant Monoclonal Antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC57861-APC

Conjugate

APC. Ex:650nm. Em:660nm.

Background

CD33, a type I transmembrane protein, is a sialic acid-binding Ig-like lectin (Siglec-3) of the Ig superfamily, and human CD33 binds preferentially to alpha-2, 6-linked sialic acid. Upon binding to its ligands CD33 transduces an inhibitory signaling through the immunoreceptor tyrosine-based inhibitory motif (ITIM) in its intracellular domain, inhibiting cellular function such as phagocytosis. In addition, CD33 is also involved in other processes, such as adhesion. Due to its exclusive expression on hematopoietic cells, particularly the myeloid lineage and their progenitors, CD33 has been actively pursued as a therapeutic target against acute myeloid leukemia (AML) . CD33 may also be involved in Alzheimer's Disease .

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID 945

Swiss Prot P20138

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 18-259 of human CD33(NP_001763.3)

Synonyms

p67; SIGLEC3; SIGLEC-3

Contact

•

www.abclonal.com

Product Information


Source Rabbit **Isotype** IgG **Purification**Affinity purification


Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data





Flow cytometry: 1X10^6 MCF7 cells(negative control,left) and THP-1 cells(right) were surface-stained with APC Rabbit anti-Human CD33 mAb(A23590,5 µl/Test,orange line) or APC Rabbit IgG isotype control (5 µl/Test,blue line).Non-fluorescently stained cells was used as blank control (red line).

Flow cytometry:1X10^6 THP-1 cells were surface-stained with APC Rabbit IgG isotype control (5 μ l/Test,left) or APC Rabbit anti-Human CD33 mAb(A23590,5 μ l/Test,right).